

OSCILLATING

Trusted by professionals in the interior construction, flooring, renovation, carpentry, plumbing, tiling, woodworking, boat maintenance and restoration industries for over 50 years!



PERFORMANCE
CLASS

MULTIMASTER 500

ALL AROUND GREAT PERFORMANCE

MADE IN
GERMANY

- + Long-life, 350 watt German-made motor
- + Variable speed control optimizes cutting performance
- + Best in class vibration dampening
- + StarlockPlus blade mount so you can choose from over 160 Starlock and StarlockPlus accessories
- + Ultra fast QuickIN blade change
- + Oscillating range: 2 x 1.7°



MULTIMASTER 500

| | | |
|------------------------------------|-----|-----------------------|
| Power consumption (corded version) | W | 350 |
| Battery (cordless version) | V | 18 |
| Battery capacity | Ah | 2.0 or 4.0 |
| Oscillations | OPM | 11,000 - 18,500 |
| Amplitude | | 2 x 1.7° |
| Tool mounting | | Starlock/StarlockPlus |
| Tool change | | QuickIN |



Powered by



BOSCH



CORDLESS MULTIMASTER 500



18V CORDLESS MULTIMASTER 500 PLUS KIT 2 Ah

PART NUMBER: 71293865090

KIT INCLUDES: 1 AMM500, 1 2Ah CORE 18V battery, 1 Fast charger, 18 accessories, 1 nylon bag



18V CORDLESS MULTIMASTER 500 PLUS KIT 4 Ah

PART NUMBER: 71293866090

KIT INCLUDES: 1 AMM500, 1 4Ah CORE 18V battery, 1 Fast charger, 18 accessories, 1 nylon bag



18V CORDLESS MULTIMASTER 500 SELECT

PART NUMBER: 71293862090

SELECT TOOL BUNDLE INCLUDES: 1 AMM500, 1 accessory, 1 L-BOXX pro tool case



18V CORDLESS MULTIMASTER 500 TOP KIT 4Ah

PART NUMBER: 71293861090

KIT INCLUDES: 1 AMM500, 2 4Ah CORE 18V batteries, 1 Fast charger, 31 accessories, 1 L-BOXX pro tool case

CORDED MULTIMASTER 500



MULTIMASTER MM 500 START

PART NUMBER: 72295264090

KIT INCLUDES: 1 MM 500, 24 accessories, 1 nylon tool case



MULTIMASTER MM 500 PLUS TOP

PART NUMBER: 72296770090

KIT INCLUDES: 1 MM 500, 31 accessories, 1 L-BOXX pro tool case



MULTIMASTER MM 500 PLUS BASIC

PART NUMBER: 72296769090

KIT INCLUDES: 1 MM 500, 1 accessory, 1 L-BOXX pro tool case

OSCILLATING

Trusted by professionals for tougher jobs requiring higher power on a daily basis in the interior construction, flooring, renovation, carpentry, plumbing, tiling, woodworking, boat maintenance, and restorations industries for over 50 years!



PERFORMANCE
CLASS

MULTIMASTER 700

THE PRO'S CHOICE

MADE IN
GERMANY

- + Long-life, 450 watt German-made motor
- + Widest range of variable speed control for precise control
- + StarlockMax blade mount: flexibility to choose from over 180 Starlock, StarlockPlus, and StarlockMax accessories
- + Oscillating range: 2 x 2.0° for faster cutting performance
- + Best in class vibration dampening
- + Ultra fast QuickIN blade change



MULTIMASTER 700

| | | |
|------------------------------------|-----|---------------------------------------|
| Power consumption (corded version) | W | 450 |
| Battery (cordless version) | V | 18 |
| Battery capacity | Ah | 4.0 |
| Oscillations | OPM | 10,000 - 19,500 |
| Amplitude | | 2 x 2.0° |
| Tool mounting | | Starlock/StarlockPlus/ StarlockMax |
| Tool change | | QuickIN |



Powered by  **BOSCH**



CORDLESS MULTIMASTER 700



18V CORDLESS MULTIMASTER 700 SELECT

PART NUMBER: 71293662090

SELECT TOOL BUNDLE INCLUDES: 1 AMM700,
1 accessory, 1 L-Boxx pro tool case



18V CORDLESS MULTIMASTER 700 PLUS KIT 4 Ah

PART NUMBER: 71293664090

KIT INCLUDES: 1 AMM700, 1 4Ah CORE 18V battery,
1 Fast charger, 18 accessories, 1 nylon bag



18V CORDLESS MULTIMASTER 700 MAX TOP KIT 4Ah

PART NUMBER: 71293661090

KIT INCLUDES: 1 AMM700, 2 4Ah CORE 18V batteries, 1 Fast charger,
60 accessories, 1 L-Boxx pro tool case

CORDED MULTIMASTER 700



MULTIMASTER MM 700 MAX BASIC

PART NUMBER: 72296863090

KIT INCLUDES: 1 MM 700, 1 accessory, 1 L-Boxx pro
tool case



MULTIMASTER MM 700 MAX TOP

PART NUMBER: 72296864090

KIT INCLUDES: 1 MM 700, 31 accessories, 1 L-Boxx pro
tool case

OSCILLATING ACCESSORIES

FEIN offers the right solution for thousands of professional applications, for all FEIN oscillating multi-tools and the most common multifunctional tools on the market. Find the perfect accessory that is right for your project.

STARLOCK FITS THE MOST BRANDS OF ANY OSCILLATING PLATFORM.



STARLOCK

● Fits ● Fits but requires adapter ● Does not fit

| | |
|--|---|
| Bosch - 2015 & Newer - Starlock | ● |
| FEIN Starlock Models | ● |
| Festool | ● |
| Flex | ● |
| Makita - 2021 & Newer (cordless) | ● |
| Metabo - 2021 & Newer | ● |
| Bauer | ● |
| Bosch - Pre 2015 - OIS Interface | ● |
| Craftsman - Pre 2019 | ● |
| FEIN - All Legacy Models - Pre 2015 | ● |
| Hitachi (Now Metabo HPT) | ● |
| Kobalt | ● |
| Makita - Pre 2021 Non-Starlock | ● |
| Metabo - Pre 2020 | ● |
| Milwaukee | ● |
| Ridgid | ● |
| Rockwell | ● |
| Ryobi | ● |
| Skill | ● |
| Worx | ● |
| Craftsman - 2020 & Newer | ● |
| DeWalt | ● |
| Porter Cable | ● |
| FEIN - Legacy Supercut Models - Pre 2015 | ● |
| Dremel | ● |

Achieve precise, high-quality cuts at top speeds with our German engineered blades. Designed to fit a variety of oscillating multitools, Starlock blades will help you get the most out of your multitool.



STARLOCK BLADES OFFER THE QUICKEST & SAFEST BLADE CHANGE SYSTEM!



To release the blade, lift the locking lever...



Blade will simply drop out. Close the locking lever...



then simply position the new blade in the Starlock mount & click into place. **Ready to go!**

NEVER TOUCH A HOT BLADE AGAIN!



GENERAL PURPOSE BLADES



E-CUT PRECISION BIM SAW BLADE

Bi-metal with double-row of HSS Japanese teeth for all wood materials, drywall and soft plastics. Fastest cutting speed and maximum precision.



E-CUT STANDARD - CURVED

Set teeth for all wood, drywall and plastic materials. Curved geometry for optimal plunge cutting.



E-CUT LONG LIFE

Bi-metal with HSS teeth for all wood, drywall and plastic materials. Robust and resistant to nails in wood, masonry, etc.



E-CUT UNIVERSAL

Bi-metal with wavy HSS universal teeth. For sheet metal up to 1/16 in, aluminum, copper pipes, wood, drywall and plastics.



E-CUT CARBIDE PRO

Wear-resistant carbide teeth for hard metals such as tempered screws and high-strength machine screws. Also for abrasive materials such as brick, masonry, cement fiber slabs & laminate.

MULTI-MATERIAL BLADES

MADE IN GERMANY

| Part Number | Description | Blade Width | Pack Size | Blade Type |
|-------------|----------------------------------|-------------|-----------|--------------------------|
| 63502106210 | Saw blade SL segmented HSS | 3-11/32" | 1 | 3/4 Round - Clean Wood |
| 63502176210 | Saw blade SLP round wood BIM | 3-15/16" | 1 | RND - Multi Material |
| 63502205260 | Saw blade SL E-Cut precision BIM | 1-3/8" | 1 | JPN Tooth Multi Material |
| 63502205270 | Saw blade SL E-Cut precision BIM | 1-3/8" | 3 | JPN Tooth Multi Material |
| 63502205290 | Saw blade SL E-Cut precision BIM | 1-3/8" | 10 | JPN Tooth Multi Material |
| 63502229260 | Saw blade SL E-Cut precision BIM | 2-1/2" | 1 | JPN Tooth Multi Material |
| 63502229270 | Saw blade SL E-Cut precision BIM | 2-1/2" | 3 | JPN Tooth Multi Material |
| 63502229290 | Saw blade SL E-Cut precision BIM | 2-1/2" | 10 | JPN Tooth Multi Material |
| 63502227260 | Saw blade SL E-Cut curved HCS | 1-3/8" | 1 | Curved - Wood/Drywall |
| 63502227270 | Saw blade SL E-Cut curved HCS | 1-3/8" | 3 | Curved - Wood/Drywall |
| 63502225260 | Saw blade SL E-Cut curved HCS | 2-1/2" | 1 | Curved - Wood/Drywall |
| 63502225270 | Saw blade SL E-Cut curved HCS | 2-1/2" | 3 | Curved - Wood/Drywall |
| 63502225290 | Saw blade SL E-Cut curved HCS | 2-1/2" | 10 | Curved - Wood/Drywall |

DEMO BLADES

MADE IN GERMANY

| Part Number | Description | Blade Width | Pack Size | Blade Type |
|-------------|-----------------------------------|-------------|-----------|-------------------|
| 63502184270 | Saw blade SL E-Cut Long Life BIM | 3/8" | 3 | All Material Demo |
| 63502183290 | Saw blade SL E-Cut Long Life BIM | 3/8" | 10 | All Material Demo |
| 63502160260 | Saw blade SL E-Cut Long Life BIM | 1-3/8" | 1 | All Material Demo |
| 63502160270 | Saw blade SL E-Cut Long Life BIM | 1-3/8" | 3 | All Material Demo |
| 63502160290 | Saw blade SL E-Cut Long Life BIM | 1-3/8" | 10 | All Material Demo |
| 63502221260 | Saw blade SL E-Cut Long Life BIM | 2" | 1 | All Material Demo |
| 63502221270 | Saw blade SL E-Cut Long Life BIM | 2" | 3 | All Material Demo |
| 63502228260 | Saw blade SL E-Cut Long Life BIM | 2-1/2" | 1 | All Material Demo |
| 63502228270 | Saw blade SL E-Cut Long Life BIM | 2-1/2" | 3 | All Material Demo |
| 63502228290 | Saw blade SL E-Cut Long Life BIM | 2-1/2" | 10 | All Material Demo |
| 63502161270 | Saw blade SLP E-Cut Long Life BIM | 2-1/2" | 3 | All Material Demo |
| 63502161290 | Saw blade SLP E-Cut Long Life BIM | 2-1/2" | 10 | All Material Demo |

METAL CUTTING BLADES

MADE IN GERMANY

| Part Number | Description | Blade Width | Pack Size | Blade Type |
|-------------|--------------------------------------|-------------|-----------|------------------|
| 63502152260 | Saw blade SLP E-Cut Universal BIM | 1-3/4" | 1 | Metal/Universal |
| 63502152270 | Saw blade SLP E-Cut Universal BIM | 1-3/4" | 3 | Metal/Universal |
| 63502152290 | Saw blade SLP E-Cut Universal BIM | 1-3/4" | 10 | Metal/Universal |
| 63502223260 | Saw blade SL E-Cut Universal BIM | 1-3/4" | 1 | Metal/Universal |
| 63502223270 | Saw blade SL E-Cut Universal BIM | 1-3/4" | 3 | Metal/Universal |
| 63502223290 | Saw blade SL E-Cut Universal BIM | 1-3/4" | 10 | Metal/Universal |
| 63502157260 | Saw blade SL E-Cut Fine | 1-1/8" | 1 | FINE Metal |
| 63502157270 | Saw blade SL E-Cut Fine | 1-1/8" | 3 | FINE Metal |
| 63502157290 | Saw blade SL E-Cut Fine | 1-1/8" | 10 | FINE Metal |
| 63502236260 | Saw blade SL E-Cut metal Carbide Pro | 1-1/4" | 1 | Heavy/Hard Metal |
| 63502236270 | Saw blade SL E-Cut metal Carbide Pro | 1-1/4" | 3 | Heavy/Hard Metal |
| 63502236290 | Saw blade SL E-Cut metal Carbide Pro | 1-1/4" | 10 | Heavy/Hard Metal |

OSCILLATING ACCESSORIES

FEIN offers the right solution for thousands of professional applications, for all FEIN oscillating multi-tools and the most common multifunctional tools on the market. Find the perfect accessory that is right for your project.

OMT ACCESSORIES



| Part Number | Description |
|-------------|---|
| 92602102000 | Dust extraction accessory set, fits current 300, 500 & 700 series tools |
| 32127069010 | Depth stop for StarLock blades |

SPECIALTY BLADES



| Part Number | Description | Pack Size | Blade Type |
|-------------|------------------------------|-----------|-------------------------|
| 63502118210 | SL Saw blade Segmented | 1 | Grout/Tile |
| 63731001210 | SL Rasp triangle shape TC 80 | 1 | Grout/Tile |
| 63731002210 | SLP Rasp finger shape TC | 1 | Grout/Tile |
| 63903165210 | SL Flexible scraper | 1 | Scraping Soft Material |
| 63903226210 | SL Rigid scraper blade | 1 | Scraping Hard Material |
| 63903245230 | SL Cutter blade mushroom | 5 | Caulk Removal |
| 63903251260 | SL Multi Blade | 1 | Roofing/Vinyl |
| 63706019210 | SL File TC | 1 | Carbon Fiber/Wood |
| 63502114210 | Segmented Diamond Saw Blade | 1 | Hard Grouts/Epoxy Resin |

EXTREME PERFORMANCE CARBIDE & DIAMOND BLADES*



DIAMOND SAW BLADE

The especially robust saw blade with a long service life for extremely hard joint materials, including waterproof epoxy resin grouts in swimming pools.



CARBIDE SAW BLADE

The economical alternative for removing marble, epoxy resin, and trass joints, cutting grooves in plaster, porous concrete, and similar construction materials.

| Part Number | Description | Pack Size | Blade Type |
|-------------|------------------------------|-----------|-------------------------|
| 63903241210 | Carbide Grit - Special Shape | 1 | Grout/Tile |
| 63903243210 | Diamond Grit - Special Shape | 1 | Hard Grouts/Epoxy Resin |

***For use with (A)MM700 tools only**



NEW!

EXTREME PERFORMANCE BLADES*

MADE IN GERMANY



| Part Number | Description | Blade Width | Pack Size | Blade Type |
|-------------|--|-------------|-----------|---------------------|
| 63502203220 | 3" XL SLM E-Cut Long Life blade BIM | 1-5/8" | 3 | XL Reach Demo |
| 63502203240 | 3" XL SLM E-Cut Long Life blade BIM | 1-5/8" | 10 | XL Reach Demo |
| 63502224260 | 3-1/2" SLM XL E-Cut Long Life blade BIM | 1-1/4" | 1 | XXL Reach Demo |
| 63502224290 | 3-1/2" SLM XL E-Cut Long Life blade BIM | 1-1/4" | 10 | XXL Reach Demo |
| 63502238220 | 3" Saw blade SLM E-Cut metal Carbide Pro | 1-1/4" | 3 | XL Reach Hard Metal |

*For use with (A)MM700 tools only

BULK PACK BLADES

MADE IN GERMANY



| Part Number | Description | Blade Width | Pack Size | Blade Type |
|-------------|-------------------------------|-------------|-----------|-----------------|
| 63502160250 | SL E-Cut Long Life Saw Blade | 1-3/8" | 50 | Demo |
| 63502223250 | SL E-Cut Universal Saw Blade | 1-3/4" | 50 | Metal/Universal |
| 63502151250 | SLP E-Cut Universal Saw Blade | 1-1/8" | 50 | Metal/Universal |
| 63502152250 | SLP E-Cut Universal Saw Blade | 1-3/4" | 50 | Metal/Universal |

BLADE KITS



| Part Number | Description | Pack Size | Blade Type |
|-------------|-----------------------------------|-----------|------------|
| 35222967010 | Best of Starlock WOOD & METAL Kit | 6 | Wood/Metal |
| 35222967290 | Combo Starlock RENOVATION PRO | 3 | Reno |
| 35222967300 | E-Cut Combo Starlock WOOD | 3 | Wood |
| 35222967060 | Best of Starlock RENOVATION | 26 | Reno |
| 35222952140 | E-Cut saw blade Combo SL 3-Pack | 3 | Wood/Metal |
| 35222942080 | Best of E-Cut SLP WOOD & METAL | 6 | Wood/Metal |

NEW!



STARLOCK L-BOXX OMT ACCESSORY SET

PART NUMBER: 33903750010

KIT INCLUDES: 34 piece accessory set containing:
 3 E-Cut bi-metal Japanese tooth blades, 3 E-Cut bi-metal universal tooth blades, 2 segmented saw blades, 1 sanding pad with 25 sheets of sandpaper, 1 L-Boxx pro tool case



SANDING ACCESSORIES

FEIN oscillating offers a vast product range for sanding to fit hundreds of applications. Project finishing starts with FEIN MULTIMASTER

SANDING - STANDARD 3-1/8"



BACKING PAD

Standard version SL. Triangular shape, hook and loop surface. 2 piece

PART NUMBER:

63806129220



BACKING PAD

Narrow, flat. SL Triangular shape, hook and loop surface. 2 piece

PART NUMBER:

63806142220



BACKING PAD

For special applications such as cleaning alloy auto wheels and paint repairs. SL Triangular shape, hook and loop surface. 2 piece

PART NUMBER:

63806141220



BACKING PAD

Standard version with dust extraction. SL Triangular shape, hook and loop surface. 2 piece

PART NUMBER:

63806136220



SANDING SHEETS, "STONE"

Specifically for sanding natural and artificial stone. For perfect surface finishing in fine finish, available up to 800 grit. Unperforated, hook and loop attachment.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717120014 | 50 | 40 |
| 63717121013 | 50 | 80 |
| 63717122016 | 50 | 120 |
| 63717123010 | 50 | 220 |
| 63717124018 | 50 | 320 |
| 63717125012 | 50 | 400 |
| 63717175017 | 50 | 600 |
| 63717176010 | 50 | 800 |



SANDING SHEETS

Aluminum oxide and full resin bond guarantee fast material removal. Unperforated, hook and loop attachment.

| PartNumber | Piece | Grit |
|-------------|-------|------|
| 63717086048 | 5 | 36 |
| 63717086010 | 50 | 36 |
| 63717081046 | 5 | 40 |
| 63717081018 | 50 | 40 |
| 63717082049 | 5 | 60 |
| 63717082011 | 50 | 60 |
| 63717083043 | 5 | 80 |
| 63717083015 | 50 | 80 |
| 63717084041 | 5 | 100 |
| 63717084013 | 50 | 100 |
| 63717085045 | 5 | 120 |
| 63717085017 | 50 | 120 |
| 63717087042 | 5 | 150 |
| 63717087014 | 50 | 150 |
| 63717088040 | 5 | 180 |
| 63717088012 | 50 | 180 |
| 63717089044 | 5 | 220 |
| 63717089016 | 50 | 220 |
| 63717090046 | 5 | 240 |
| 63717090018 | 50 | 240 |



SANDING SHEETS

Aluminum oxide and full resin bond guarantee fast material removal. Perforated version, hook and loop surface.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717107049 | 5 | 36 |
| 63717107011 | 50 | 36 |
| 63717108047 | 5 | 40 |
| 63717108019 | 50 | 40 |
| 63717109041 | 5 | 60 |
| 63717109013 | 50 | 60 |
| 63717110043 | 5 | 80 |
| 63717110015 | 50 | 80 |
| 63717111042 | 5 | 100 |
| 63717111014 | 50 | 100 |
| 63717112045 | 5 | 120 |
| 63717112017 | 50 | 120 |
| 63717113049 | 5 | 150 |
| 63717113011 | 50 | 150 |
| 63717114047 | 5 | 180 |
| 63717114019 | 50 | 180 |
| 63717115041 | 5 | 220 |
| 63717115013 | 50 | 220 |
| 63717116044 | 5 | 240 |
| 63717116016 | 50 | 240 |



SANDING SHEETS, ZIRCONIUM

Unrivaled removal rate on extremely hard surfaces such as clear coats or metal. Perforated, hook and loop attachment.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717236010 | 35 | 40 |
| 63717237010 | 35 | 60 |
| 63717238010 | 35 | 80 |



SANDING SHEETS, ZIRCONIUM

For special applications such as cleaning alloy auto wheels and paint repairs. Use only in combination with backing pad 63806141026. Unperforated, hook and loop attachment.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717126015 | 50 | 240 |
| 63717127019 | 50 | 320 |
| 63717128017 | 50 | 400 |
| 63717179016 | 50 | 500 |



SANDING SHEETS, ZIRCONIUM

Unrivaled removal rate on extremely hard surfaces such as clear coats or metal. Unperforated, hook and loop attachment.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717243010 | 35 | 40 |
| 63717244010 | 35 | 60 |
| 63717245010 | 35 | 80 |



ASSORTED SANDING SHEET SET

50 sanding sheets in various grits. Price includes: 10 of each type (60, 80, 120, 180, 240 grit), unperforated, with hook and loop attachment.

PART NUMBER:
63717082033



ASSORTED SANDING SHEET SET

50 sanding sheets in various grits. Price includes: 10 of each type (60, 80, 120, 180, 240 grit), perforated, with hook and loop attachment.

PART NUMBER:
63717109035



BACKING PAD

For use in very narrow and hard-to-reach spots in channels, grooves, openings and rabbets. Finger shape, hook and loop surface. SL mount, 2 piece.

PART NUMBER:
63806159220



SANDING FINGER SHEETS

Hook & Loop, full synthetic resin bonding, high performance, aluminum oxide. Applications, wood, metal, solder joints, GFRP, plastic, paint, filler and leather.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717184012 | 20 | 40 |
| 63717185016 | 20 | 60 |
| 63717186019 | 20 | 80 |
| 63717187013 | 20 | 100 |
| 63717188011 | 20 | 120 |
| 63717189015 | 20 | 150 |
| 63717190017 | 20 | 180 |
| 63717191016 | 20 | 220 |
| 63717192019 | 20 | 240 |



SANDING DISC SET W/BACKING PAD

Fast, efficient sanding, the alternative to random orbit sanders. Can be used with or without dust extraction. SLP 4-1/2 in dia., perforated version, hook and loop surface., 2 sanding sheets 60, 80, 180 grit each

PART NUMBER:
63806195210



SANDING DISC SET - REPLACEMENT PAPER

16 sanding sheets in various grits from coarse to fine. Can be used with or without dust extraction. Perforated version, hook and loop surface., 4 sanding sheets 60, 80, 180 grit each

PART NUMBER:
63717227010

SANDING ACCESSORIES

FEIN oscillating offers a vast product range for sanding to fit hundreds of applications. Project finishing starts with FEIN MULTIMASTER



SANDING SHEETS

Aluminum oxide and full resin bond guarantee fast material removal. 4-1/2 in dia., perforated version, hook and loop surface, or use with or without dust extraction system.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717230020 | 16 | 40 |
| 63717227020 | 16 | 60 |
| 63717228020 | 16 | 80 |
| 63717229010 | 16 | 120 |
| 63717231020 | 16 | 180 |
| 63717232010 | 16 | 240 |



SANDING SHEETS, ZIRCONIUM

Unrivaled removal rate on extremely hard surfaces such as clear coats or metal. 4-1/2 in dia., perforated version, hook and loop surface, or use with or without dust extraction system.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717233010 | 12 | 40 |
| 63717234010 | 12 | 60 |
| 63717235010 | 12 | 80 |



SANDING SHEETS, ZIRCONIUM

Unrivaled removal rate on extremely hard surfaces such as clear coats or metal. 4 of each type of Dia. 4-1/2 in sanding sheet (40, 60, 80 grit), perforated, for use with or without dust extraction system, hook and loop attachment.

PART NUMBER:
63717233020



LARGE SANDING SHEETS, ZIRCONIUM

Fits large triangular 5-1/8 in backing pad with. Aluminum oxide and full resin bond guarantee fast material removal, minimum glazing and long tool life. Perforated, for use with perforated backing pad and dust extraction system, hook and loop attachment.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717298010 | 12 | 40 |
| 63717299010 | 12 | 60 |
| 63717300010 | 12 | 80 |



LARGE SANDING SHEET SET, ZIRCONIUM

12 sanding sheets with an unrivaled removal rate on extremely hard surfaces such as clear coats (e.g. parquet finishes) or metal. 4 of each type of Dia. 5-1/8 in sanding sheet (40, 60, 80 grit), perforated, for use with or without dust extraction, hook and loop attachment.

PART NUMBER:
35222952110



ASSORTED LARGE SANDING SHEET SET

16 abrasive sheets in various grits for universal use from coarse to fine grinding on almost any material. 4 of each type of Dia. 5-1/8 in sanding sheet (60, 80, 120, 180 grit), perforated, for use with or without dust extraction system, hook and loop attachment.

PART NUMBER:
35222952100



LARGE SANDING PAD SET

For efficient sanding of edge, corner and medium-sized areas. The alternative to random orbit or pad sanders. Plastic carrier plate to prevent damage and marks on the workpiece. includes: 1 large perforated triangular SLP backing pad (5-1/8 in edge length), 2 each perforated sanding sheets, grits 60, 80, 180.

PART NUMBER:
63806204210

SANDING - LARGE FORMAT 5-1/8"



LARGE SANDING SHEETS, PERFORATED

Fits large triangular 5-1/8 in backing pad with. Aluminum oxide and full resin bond guarantee fast material removal, minimum glazing and long tool life. Perforated, for use with perforated backing pad and dust extraction system, hook and loop attachment.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717293020 | 16 | 60 |
| 63717294020 | 16 | 80 |
| 63717295020 | 16 | 120 |
| 63717296020 | 16 | 180 |
| 63717297020 | 16 | 240 |



NEW!



PROFILE SANDING SET

22-piece set for sanding in grooves and on external radii. Contents: 1 holder with 6 different profile inserts. 1x V-shape for 90° angles, 1x trapezoid shape for tongue and groove joints, 1x straight shape for profiles, 1x convex shape (large), 1x concave and 1x convex shape (small), together with 5 of each sanding sheet. grits 80, 120, and 180.

PART NUMBER:
63810031010



BEST OF SANDING ACCESSORY SET

61-piece accessory set for all sanding at corners and edges and medium to large areas in a practical plastic storage case. Contents: 1 triangular backing pad, unperforated, with 10 of each sanding sheet, grits 16, 80, 120, 180, 1 backing pad 4-1/2 in dia., with six of each sanding sheet, grits 60, 80, 180, 1 triangular carbide rasp.

PART NUMBER:
35222942040



SANDPAPER FOR PROFILE SANDING SET

Aluminum oxide and full resin bond guarantee fast material removal, minimum glazing and long tool life. For universal use on almost all materials, unperforated.

| Part Number | Piece | Grit |
|-------------|-------|------|
| 63717217016 | 25 | 80 |
| 63717218014 | 25 | 120 |
| 63717219018 | 25 | 180 |



BEST OF STARLOCK SANDING SET

63-piece accessory set for sanding in corners and on edges. For use with all FEIN MultiTools and all other commercially available multi-tools with the Starlock mount. Contents: 2 sanding pads, unperforated (3-1/8 in), 1 sanding finger, 10 sanding sheets each (grits 60, 80, 120) for sanding pad and sanding finger.

PART NUMBER:
35222967280

DUST COLLECTION ACCESSORIES



DUST EXTRACTION SET - CURRENT

2 backing pads, perforated, 5 of each sanding sheet, perforated, grits 60, 80, 120, 1 extraction cap with suction tube. For MultiMaster and SuperCut (corded and cordless)

Compatible with:
MultiMaster (A)MM 500 and (A)MM 700

PART NUMBER:
92602102000

SPECIALTY OSCILLATING

The FEIN 1.7 series oscillating tool offers uncompromising performance for demanding applications and all day use.

MADE IN GERMANY

MM 700 1.7

Hex blade attachment for efficient power transmission



(A)MM 700 1.7 Q

Quick change hex blade attachment for efficient power transmission



ALL 1.7 TOOLS FEATURE

- + 2 x 1.7° Oscillations
- + German-made motor
- + Solid metal head for superior durability
- + Low vibration for all day use
- + Electronic variable speed control



18V CORDLESS MULTIMASTER 700 1.7Q AS SELECT

PART NUMBER: 71293761090

KIT INCLUDES: 1 MM700 1.7Q, 2 accessories, 1 L-Boxx pro tool case



18V CORDLESS MULTIMASTER 700 1.7Q AS AUTOGLASS

PART NUMBER: 71293762090

KIT INCLUDES: 1 AMM700 1.7Q, 2 4Ah CORE 18V batteries, 1 Fast charger, 14 accessories, 1 L-Boxx pro tool case



MULTIMASTER 700 1.7 BASIC

PART NUMBER: 7229692090

KIT INCLUDES: 1 MM700 1.7, 3 accessories, 1 L-Boxx pro tool case



MULTIMASTER 700 1.7Q BASIC

PART NUMBER: 7229693090

KIT INCLUDES: 1 MM700 1.7Q, 14 accessories, 1 L-Boxx pro tool case



MULTIMASTER 700 1.7 CAULKING SET

PART NUMBER: 72297162090


KIT INCLUDES: 1 MM700 1.7, 7 accessories, 1 L-Boxx pro tool case



MULTIMASTER 700 1.7Q AUTOGLASS

PART NUMBER: 72297065090

KIT INCLUDES: 1 MM700 1.7Q, 14 accessories, 1 L-Boxx pro tool case



CAULKING CUTTER BLADES



SEGMENT BLADE
For V-cuts and for cuts in corners, 1-1/4" blade length, 2-pack

PART NUMBER:
63903132010



DIAMOND SEGMENT BLADE
Diamond-coated, for corners 3/32". For marble and cement mortar

PART NUMBER:
63903162017



CLEANING BLADE
Diamond-coated, for cleaning mortar flanks before refilling, 5-pack

PART NUMBER:
63903161030



MUSHROOM BLADE
For cutting elastic silicon or acrylic connecting joints as well as for separation of insulating glass, 5-pack

PART NUMBER:
63903128012



CUTTER BLADE
Elongated pointed blade for very deep joints, 5-pack

PART NUMBER:
63903116011
NEW!
XL VERSION (73mm)
PART NUMBER:
63903271020



STRAIGHT CUTTER BLADE
Universal blade for removal of almost all expansion joints, 5-pack

77MM PART NUMBER:
63903117015
NEW!
90MM XL VERSION
PART NUMBER:
63903270030

AUTOGLASS BLADES



U-SHAPED CUTTING BLADE
For removal glass from behind the hood. Reinforced design, serrated, 2-pack

PART NUMBER:
63903212018



L-SHAPED CUTTING BLADE - 1-1/2"
Serrated, 2-pack

PART NUMBER:
63903209014



L-SHAPED CUTTING BLADE - 3/4"
Serrated, 2-pack

PART NUMBER:
63903208010



L-SHAPED CUTTING BLADE
Serrated, 2-pack

PART NUMBER:
63903207012



U-SHAPED CUTTING BLADE
Ideal for glass removal from behind the hood. Reinforced design, 2-pack

PART NUMBER:
63903157011



U-SHAPED CUTTING BLADE
Ideal for glass removal from behind the hood. Reinforced design, 2-pack

PART NUMBER:
63903111019



STRAIGHT CUTTING BLADE
Z-bend, with adjustable depth stop, 2-pack

PART NUMBER:
63903143013



STRAIGHT CUTTING BLADE
Suitable for removal of attached body parts.

Z-bend, serrated, 2-pack

PART NUMBER:
63903081013

CORDLESS JIGSAW

The all new F-IRON JIG 26 AS is a powerful cordless jigsaw allows you to easily make smooth curves and precise cuts in metal, wood and plastics.

NEW!

18V F-IRON JIG 26 AS CORDLESS JIGSAW

ADVANCED DUST CONTROL

Dust is kept clear of cutting area by integrated blower. Jigsaw kit comes with a dust extraction adaptor for use with FEIN or other professional shop vacuums.

CONVENIENCE

Smart LED work light with overhead shutdown function.

FAST, TOOL-FREE SAW BLADE CHANGE

The automatic saw blade lock makes it easier to change saw blades and reduces the risk of injury. Works with all universal T-shank blades.



PERFORMANCE

Compatible with the 18V AMPShare battery platform.

ADVANCED BASE SHOE DESIGN

Four adjustable miter angles with positive stops at 0°, 15°, 30° and 45° degrees in both left and right positions. Jigsaw comes with non-marring base.

F-IRON JIG 26 AS TECHNICAL SPECS

| F-IRON JIG 26 AS | | |
|-------------------------|-----|--------------------|
| Battery voltage | V | 18 |
| Battery capacity | Ah | 4 |
| Battery interface | | AMPShare |
| Tool mount | | T-shank |
| Stroke of blade | in | 1 |
| Tool mount | | QuickIN, T-shank |
| Weight without battery | lbs | 4.63 |
| Part Number (Bare tool) | | 71360561090 |
| Part Number (Kit) | | 71360562000 |



KIT INCLUDES: 1 F-IRON JIG 26 AS, 2 4Ah CORE 18V batteries, 1 Fast charger, 1 best-of jigsaw blade set 5-piece (63503188010), 1 zero clearance blade insert, 1 Allen key 4 mm, 1 non-marring shoe guard cover, 1 dust extraction adaptor, 1 L-Boxx pro tool case



Powered by  **BOSCH**

**AVAILABLE
APRIL 2025**

GENERAL METALWORKING BLADES

| Part Number | Saw blade material | Cutting length (in) | Tooth Pitch (TPI) | Materials cut |
|-------------|--------------------|---------------------|-------------------|--|
| 63503166010 | BIM | 3" | 21 | 1/16" - 1/8" Thick mild steel / aluminum / brass |
| 63503167010 | BIM | 3" | 23-18 | 1/16" - 1/8" Thick mild steel / aluminum / brass |
| 63503168010 | BIM | 3" | 12 | 1/64" - 3/64" metal blade |
| 63503169010 | BIM | 3" | 11-13 | 1/8" - 1/4" metal blade |
| 63503172010 | BIM | 3" | 10-16 | 1/16" - 1/8" metal blade |
| 63503173010 | BIM | 4-3/8" | 16-25 | 1/8" - 1/4" metal blade |
| 63503174010 | BIM | 4-3/8" | 12 | 1/16" - 1/8" metal blade |
| 63503175010 | HM | 2-3/8" | 24 | Stainless steel |

GENERAL WOODWORKING BLADES

| Part Number | Saw blade material | Cutting length (in) | Tooth Pitch (TPI) | Materials cut |
|-------------|--------------------|---------------------|-------------------|---|
| 63503176010 | CV | 3" | 6 | Soft/Hard woods, OSB, plywood ideal for saws without orbital action |
| 63503177010 | CV | 5-1/8" | 6 | Soft/Hard woods, OSB, plywood ideal for saws without orbital action |
| 63503178010 | CV | 3" | 6 | Fast cut clean wood |
| 63503179010 | CV | 3" | 10 | Clean wood |
| 63503180010 | CV | 3" | 10-18 | Soft woods / plywood |
| 63503182010 | CV | 3-3/4" | 8-11; 10 | Soft woods / plywood |
| 63503184010 | CV | 3" | 17 | Soft woods / plywood |
| 63503185010 | BIM | 3" | 17 | Clean hard wood |
| 63503186010 | BIM | 4-3/8" | 10-14 | Soft woods / plywood |

SPECIALTY MULTI-MATERIAL BLADES

| Part Number | Saw blade material | Cutting length (in) | Tooth Pitch (TPI) | Materials cut |
|-------------|--------------------|---------------------|-------------------|---|
| 63503170010 | BIM | 3" | 8 | Aluminum up to 5/8", fiberglass up to 3/4", plastic up to 1-1/4" |
| 63503171010 | BIM | 7" | 21 | Insulated panels (up to 3" thick) |
| 63503181010 | CV | 3-1/2" | 8 | Medium to fine cuts in Soft/Hard woods, plywood, laminated particle board and plastic |
| 63503183010 | CV | 3" | 10 | Reverse cut |
| 63503187010 | HM | 3" | 24 | Fiberglass, plaster, cement board |
| 63503188010 | - | - | - | 5-Pack Starter Set |

PREMIUM VACUUMS

FEIN Dust Extractors are designed to be more efficient than traditional shop vacuums and leave your work area spotless. Coupled with FEIN's quiet, powerful operation, long hoses and power cords, and accessories for connecting a variety of power tools, you can rely on our FEIN TURBO dust extractors.

TURBO I, TURBO II & TURBO II X AC

EFFECTIVE DUST CONTROL

The 1 micron standard filtration system and a .3 micron HEPA filtration system (on select models) provides best in class particulate removal.

IMPRESSIVE SUCTION

98.4 static water lift (245 mbar) of vacuum and a 151 cfm (71 L/s) flow rate at the blower ensures powerful suction and fast dust extraction.



SENSIBLE STORAGE

Rimmed storage features cable hose hooks.

AUTOSTART OUTLET

Quickly starts when attached tool is switched on and runs briefly after shut down to clear hose of remaining dust.

SUPERIOR MOBILITY

Easy to maneuver with large, 360 degree wheels.

TURBO ACCESSORIES

Non-woven filter bag
5 pack



Part Number
Turbo I 31345061010

Non-woven filter bag
5 pack



Part Number
Turbo II 31345062010

Non-woven filter bag, premium
5 pack



Part Number
Turbo II 31345251010

HEPA filter bag
3 pack



Part Number
31345130010

Cellulose flat pleated filter



Part Number
31345012010

Flat pleated filter PES



Part Number
31345059010

HEPA flat pleated filter



Part Number
31345060010

HEPA flat pleated filter - TURBO X AC



Part Number
31345274010

Anti-static suction hose
13 ft length.



Part Number
1-3/8 in dia 31345120010

Tool coupling with suction control



Part Number
1-3/8 in dia 31345300010

Accessory set for FEIN vacuum cleaners

Consisting of: 2 metal suction tubes, 1 combination tool with interchangeable inserts, 1 crevice nozzle, 1 dusting brush, 1 elbow



BEST VALUE

Part Number
31345071020

Step adapter



Part Number
31345079010

Dusting brush



Part Number
31345076010

Upholstery nozzle



Part Number
31345075010

Crevice nozzle



Part Number
31345074010

ALL VACUUMS FEATURE

- + 1,100 Watt (9 Amp) power
- + 151 CFM Air volume
- + 98.4 inches of static water lift
- + 13 ft long vacuum hose
- + Quiet operation (66 dB)
- + Extra long 19 ft power cord
- + Autostart outlet with power-on delay



TURBO I Wet/Dry Dust Extractor

- PART NUMBER:** 92035236090
- + 5.8 gallon capacity
 - + 1 micron filtration



NEW!

TURBO I HEPA PRO SET Wet/Dry Dust Extractor

- PART NUMBER:** 92037060990
- + 5.8 gallon capacity
 - + .3 micron filtration
 - + HEPA certified
 - + Includes hoses & tool attachments



TURBO II Wet/Dry Dust Extractor

- PART NUMBER:** 92036236090
- + 8.5 gallon capacity
 - + 1 micron filtration



NEW!

TURBO II HEPA PRO SET Wet/Dry Dust Extractor

- PART NUMBER:** 92036060990
- + 8.5 gallon capacity
 - + .3 micron filtration
 - + HEPA certified
 - + Includes hoses & tool attachments



NEW!
NOW INCLUDES
ANTI-STATIC HOSE!

TURBO II X AC HEPA PRO SET Wet/Dry Dust Extractor

- PART NUMBER:** 92030070990
- + 9.2 gallon capacity
 - + .3 micron filtration
 - + HEPA certified
 - + Autoclean function
 - + Variable speed
 - + Includes hoses & tool attachments

BATTERIES & CHARGERS

AMPShare - Powered by Bosch is a power source that works across expert brands, allowing various applications to be powered by one battery system.

AMP SHARE BATTERIES & CHARGERS



CORE 18V 2.0Ah A
PART NUMBER:
92604344030



CORE 18V AS 4.0 Ah
PART NUMBER:
92604341030



NEW!

CORE 18V AS 8.0 Ah
PART NUMBER:
92604342030



NEW!

CORE 18V AS 12.0 Ah
PART NUMBER:
92604343030



CORE 18V AS STARTER SET 2.0 Ah
PART NUMBER: 92604244090



CORE 18V AS STARTER SET 4.0 Ah
PART NUMBER: 92604228090



CORE 18V AS STARTER SET 8.0 Ah
PART NUMBER: 92604229090



CORE 18V AS STARTER SET 12.0 Ah
PART NUMBER: 92604241090



80% FAST CHARGING MODE.

14.4-18V AS Fast Charger
PART NUMBER: 92604334010
Best for 2.0Ah & 4.0Ah batteries




NEW!

2X FASTER CHARGING FOR HIGH AMP BATTERIES!

18V AS Turbo Charger
PART NUMBER: 92604338010
Best for 4.0Ah, 8.0Ah & 12Ah batteries

AMP SHARE ADVANTAGES AT A GLANCE

EXPANDED COMPATIBILITY



AMPShare™ batteries and chargers are compatible with Bosch 18V power tools and with cordless products part of the multi-brand AMPShare™ Alliance.

19

LEADING BATTERY & CHARGER TECHNOLOGY



Within AMPShare™, batteries with CORE18V® technology offer a high-performance record, heat management technology, and an optimal power-to-weight ratio to power the toughest work. To keep power-ready, AMPShare™ offers both fast and faster charging solutions.


PROFESSIONAL EXPERTISE



All members of the AMPShare™ Alliance are leading expert brands in their field committed to meeting the highest demands of trade and industry.

COMPLETE FLEXIBILITY

Use the same battery for the new cordless MULTIMASTER AS with AMPSHare interface and for all 18V cordless devices with AMPSHare or Bosch Professional 18V battery interface.



LEADING TECHNOLOGY

Copper end plates, welded cell connectors and power rails in AMPShare batteries provide reduced resistance and greater efficiency, so tools can draw higher currents over a longer time.

ELECTRONIC CELL PROTECTION

Reliably protects the battery from overload, overheating and total discharge.


COOLPACK 2.0 TECHNOLOGY

4 Ah, 8Ah and 12Ah Batteries are equipped with CoolPack technology that delivers longer life for batteries with better heat management to protect the cells from damage.

Each cell is housed in its own heat sync with no air gaps between cells for better heat dissipation. More surface area on the shell provides better heat transfer to the outer surface.

FASTER THAN EVER CHARGING

The new AMPShare Fast Charger helps avoid downtime by charging batteries in a fraction of the time compared to conventional battery and chargers. The AS Fast Charger charges 4Ah batteries to 80% in 32 minutes and 2Ah batteries in just 15 minutes which means you don't have to slow down just because your battery does.




SAVINGS WITH ONE SYSTEM



AMPShare™ alleviates the need to invest in multiple battery platforms by offering compatibility with different brands and their cordless tools.

EASIER BATTERY MANAGEMENT



AMPShare™ reduces the clutter and complexity of managing and working with multiple battery and charger solutions.

A GROWING NETWORK



AMPShare™ batteries today will be compatible with even more tools from even more brands in the future.

INTRODUCING THE NEW ULTIMATE 4-SPEED DRILL DRIVERS FROM FEIN




- + MADE IN GERMANY
- + ALL METAL GEARBOX
- + 11 APPLICATIONS 1 TOOL
- + 18V AMPSHARE BATTERY PLATFORM
- + 4 SPEED RANGES
- + FEIN POWERDRIVE BRUSHLESS MOTOR

VERSATILITY MEETS FUNCTION... MEET THE **QUICKIN SYSTEM FROM FEIN**

11 QuickIN applications, one drill, endless possibilities. With the QuickIN System from FEIN, you can quickly and easily change between applications to save time and stay on track.

GENERAL CONSTRUCTION





ASCM 18-4 QM(P) HIGH TORQUE

FULL INFO ON PAGE 23

- + 2 Models - With & without hammer function
- + Max torque - 1,150 in/lb
- + Telescoping handle




ASCM 18 QSW GENERAL CONSTRUCTION

FULL INFO ON PAGE 25

- + 1 Model available
- + Max torque - 354 in/lb

METAL WORKING



QuickIN Tapping head
PART NUMBER: 64203027010

QuickIN Vario adapter
PART NUMBER: 64203030010

QuickIN Hole saw adapter
PART NUMBER: 64203007010

QuickIN Tapping collet adapter
PART NUMBER: 64203003020

QuickIN 1/2" Socket adapter
PART NUMBER: 64203002010



QUICKIN ACCESSORIES SET

PART NUMBER: 64203033010

KIT INCLUDES: 1 QuickIN Eccentric head, 1 QuickIN Tapping head, 1 QuickIN Tapping adapter (w/o collet), 1 QuickIN Angled head, 1 QuickIN Hole saw adapter w/centering bit, 1 QuickIN socket adapter, 1 QuickIN bitholder, 1 QuickIN VARIO adapter, 1 i-BOXX 72

CORDLESS DRILL/DRIVING

The performance and reliability needed for demanding metalworking jobs. Powerful AMPShare 18V drills and drill drivers from FEIN meet the rigorous needs of your job site.

NEW!

18V ASCM 4-SPEED HIGH TORQUE DRILL DRIVERS



USER PROTECTION

Restart protection, electronic overload protection and brake.

MADE IN GERMANY

MORE CONTROL

Extendible extra handle for improved leverage and grip.

ADAPTABLE

The QuickIN heads can be changed in a matter of seconds and without the need for tools when users switch between applications - All drill/drivers come standard with a 3-jaw chuck.

POWERFUL

4-speed solid metal gearbox. With speeds of up to 4000 rpm for optimum cutting speeds in metal.



OPERATOR PANEL FUNCTIONS

- + Drilling
- + Screwdriving
- + Fastening with precision depth control
- + Kickback monitoring
- + Work area LED
- + LED brightness adjustment

AVAILABLE BARE TOOLS

18V ASCM HIGH TORQUE 4-SPEED DRILL DRIVERS



MADE IN GERMANY

ASCM 18-4 QMP AS

| | | |
|--------------------------------------|-----|----------------------------------|
| Battery voltage | V | 18 |
| Battery platform | | AMPShare |
| Motor | | brushless |
| Gearbox | | 4-Speed |
| No load speed | RPM | 430 / 850 / 2,000 / 4,000 |
| Impacts per minute (hammer function) | IPM | 6,450 / 12,750 / 30,000 / 60,000 |
| Max. torque | | 1,150 in/lb |
| Tool mount | | QuickIN |
| Weight without battery | lbs | 3.08 |
| Part Number (Bare tool) | | 71161661090 |

ASCM 18-4 QMP AS SELECT

18V 4-speed cordless drill/driver **w/hammer function** (bare tool)

PART NUMBER: 71161661090

KIT INCLUDES: 1 ASCM 18-4 QMP AS, 1 belt clip, 1 telescopic handle, 1 QuickIN drill chuck, 1 magnetic bit holder, 1 L-Boxx pro tool case



MADE IN GERMANY

ASCM 18-4 QM AS

| | | |
|-------------------------|-----|---------------------------|
| Battery voltage | V | 18 |
| Battery platform | | AMPShare |
| Motor | | brushless |
| Gearbox | | 4-Speed |
| No load speed | RPM | 430 / 850 / 2,000 / 4,000 |
| Max. torque | | 1,150 in/lb |
| Tool mount | | QuickIN |
| Weight without battery | lbs | 3.08 |
| Part Number (Bare tool) | | 71161561090 |

ASCM 18-4 QM AS SELECT

18V 4-speed cordless drill/driver (bare tool)

PART NUMBER: 71161561090

KIT INCLUDES: 1 ASCM 18-4 QM AS, 1 belt clip, 1 telescopic handle, 1 QuickIN drill chuck, 1 magnetic bit holder, 1 L-Boxx pro tool case

AVAILABLE BARE TOOLS

The performance and reliability needed for demanding metalworking jobs. Powerful AMPShare 18V drills and drill drivers from FEIN meet the rigorous needs of your job site.



| MADE IN GERMANY | | ASCM 18 QSW AS | |
|-------------------------|-------------|---------------------------|--|
| Battery voltage | V | 18 | |
| Battery platform | AMPShare | | |
| Motor | brushless | | |
| Gearbox | 4-Speed | | |
| No load speed | RPM | 400 / 700 / 1,400 / 2,500 | |
| Max. torque | 354 in/lb | | |
| Tool mount | QuickIN | | |
| Weight without battery | lbs | 3.08 | |
| Part Number (Bare tool) | 71161461090 | | |

ASCM 18 QSW AS SELECT

18V 4-speed General Construction Cordless Drill/Driver (bare tool)

SELECT PART NUMBER: 71161461090

KIT INCLUDES: 1 ASCM 18 QSW AS, 1 QuickIN drill chuck, 1 belt clip, 1 magnetic bit holder, 1 L-Boxx pro tool case



| MADE IN GERMANY | | ASCD 18-200 W4 AS | |
|-------------------------|--------------|-------------------|--|
| Battery voltage | V | 18 | |
| Battery platform | AMPShare | | |
| Motor | brushless | | |
| Gearbox | - | | |
| No load speed | RPM | 0 - 1,500 | |
| Impacts per minute | IPM | 0 - 3,000 | |
| Max. torque | 1,858 in/lb | | |
| Tool mount | 1/4" hexagon | | |
| Weight without battery | lbs | 2.64 | |
| Part Number (Bare tool) | 71151161090 | | |

ASCD 18-200 W4 AS SELECT

18V 1/4" Hex Cordless Impact Driver (bare tool)

SELECT PART NUMBER: 71151161090

KIT INCLUDES: 1 ASCD 18-200 W4 AS, 1 magnetic bit holder, 1 belt clip, 1 L-Boxx pro tool case



| MADE IN GERMANY | | ASCD 18-300 W2 AS | |
|--------------------------------|-------------|--------------------------|--|
| Battery voltage | V | 18 | |
| Battery platform | AMPShare | | |
| Motor | brushless | | |
| Gearbox | - | | |
| No load speed | RPM | 0 - 1,700 | |
| Impacts per minute | IPM | 0 - 3,400 | |
| Max. torque | 214 ft/lb | | |
| Tool mount | 1/2" square | | |
| Weight without battery | lbs | 2.20 | |
| Part Number (Bare tool) | 71151061090 | | |

ASCD 18-300 W2 AS SELECT

18V Cordless Impact Wrench - 1/2" Square Drive (bare tool)

SELECT PART NUMBER: 71151061090

KIT INCLUDES: 1 ASCD 18-300 W2 AS, 1 belt clip, 1 L-Boxx pro tool case



| ASCD 18-1000 W34 AS | | |
|--------------------------------|-------------|-----------|
| Battery voltage | V | 18 |
| Battery platform | AMPShare | |
| Motor | brushless | |
| Gearbox | - | |
| No load speed | RPM | 0 - 1,800 |
| Impacts per minute | IPM | 0 - 2,200 |
| Max. torque | 775 ft/lb | |
| Tool mount | 3/4" square | |
| Weight without battery | lbs | 6.83 |
| Part Number (Bare tool) | 71151261090 | |

ASCD 18-1000 W34 AS SELECT

18V Cordless Impact Wrench - 3/4" Square Drive (bare tool)

SELECT PART NUMBER: 71151261090

KIT INCLUDES: 1 ASCD 18-1000 W34 AS, 1 belt clip, 1 L-Boxx pro tool case

AVAILABLE KITS

The performance and reliability needed for demanding metalworking jobs. Powerful AMPShare 18V drills and drill drivers from FEIN meet the rigorous needs of your job site.



MADE IN GERMANY

ASCM 18-4 QMP AS QUICKIN START SET

| | | |
|---|-----|----------------------------------|
| Battery voltage | V | 18 |
| Battery platform | | AMPShare |
| Motor | | brushless |
| Gearbox | | 4-Speed |
| No load speed | RPM | 430 / 850 / 2,000 / 4,000 |
| Impacts per minute (hammer function) | IPM | 6,450 / 12,750 / 30,000 / 60,000 |
| Max. torque | | 1,150 in/lb |
| Tool mount | | QuickIN |
| Weight without battery | lbs | 3.08 |
| Part Number | | 71161562090 |

ASCM 18-4 QMP AS QUICKIN START SET

4-speed cordless drill/driver set **w/hammer** function

PART NUMBER: 71161562090

KIT INCLUDES: 1 ASCM 18-4 QMP AS, 1 4Ah CORE 18V batteries, 1 Fast charger, 1 belt clip, 1 telescopic handle, 1 QuickIN drill chuck, 1 magnetic bit holder, 8-piece bit set, 1 L-BOXX

MADE IN GERMANY

ASCM 18-4 QMP AS QUICKIN TOP SET

| | | |
|---|-----|----------------------------------|
| Battery voltage | V | 18 |
| Battery platform | | AMPShare |
| Motor | | brushless |
| Gearbox | | 4-Speed |
| No load speed | RPM | 430 / 850 / 2,000 / 4,000 |
| Impacts per minute (hammer function) | IPM | 6,450 / 12,750 / 30,000 / 60,000 |
| Max. torque | | 1,150 in/lb |
| Tool mount | | QuickIN |
| Weight without battery | lbs | 3.08 |
| Part Number | | 71161565090 |



ASCM 18-4 QMP AS QUICKIN TOP SET

4-speed cordless drill/driver set **w/hammer** function

PART NUMBER: 71161565090

KIT INCLUDES: 1 ASCM 18-4 QMP AS, 2 4Ah CORE 18V batteries, 1 Fast charger, 1 QuickIN Eccentric head, 1 QuickIN Tapping head, 1 QuickIN Tapping adapter, 1 QuickIN Angled head, 1 QuickIN Hole saw adapter w/centering bit, 1 QuickIN socket adapter, 1 QuickIN bitholder, 1 QuickIN VARIO adapter, 1 belt clip, 1 telescopic handle, 1 QuickIN drill chuck, 1 magnetic bit holder, 1 L-BOXX, 1 i-BOXX 72 with rack

QUICKIN METALWORKING ACCESSORIES

All FEIN cutters feature high performance carbide and optimal cutting geometry for precise, clean and efficient hole cutting.



ANNULAR CUTTERS - 3/4" DEPTH OF CUT

| Part Number | Description |
|-------------|----------------|
| 63130200010 | 9/16" x 3/4" |
| 63130201010 | 5/8" x 3/4" |
| 63130202010 | 11/16" x 3/4" |
| 63130203010 | 3/4" x 3/4" |
| 63130204010 | 13/16" x 3/4" |
| 63130205010 | 7/8" x 3/4" |
| 63130206010 | 15/16" x 3/4" |
| 63130207010 | 1" x 3/4" |
| 63130208010 | 1-1/16" x 3/4" |
| 63130209010 | 1-1/8" x 3/4" |
| 63130210010 | 1-3/16" x 3/4" |



PIPE & TUBE CUTTERS - 5/32" DEPTH OF CUT

| Part Number | Description |
|-------------|------------------|
| 63131605010 | 7/8" x 5/32" |
| 63131606010 | 15/16" x 5/32" |
| 63131608010 | 1-1/16" x 5/32" |
| 63131609010 | 1-1/8" x 5/32" |
| 63131610010 | 1-3/16" x 5/32" |
| 63131611010 | 1-1/4" x 5/32" |
| 63131612010 | 1-5/16" x 5/32" |
| 63131613010 | 1-3/8" x 5/32" |
| 63131614010 | 1-7/16" x 5/32" |
| 63131615010 | 1-1/2" x 5/32" |
| 63131616010 | 1-9/16" x 5/32" |
| 63131617010 | 1-5/8" x 5/32" |
| 63131618010 | 1-11/16" x 5/32" |
| 63131619010 | 1-3/4" x 5/32" |
| 63131620010 | 1-13/16" x 5/32" |
| 63131621010 | 1-7/8" x 5/32" |
| 63131622010 | 1-15/16" x 5/32" |
| 63131623010 | 2" x 5/32" |
| 63131624010 | 2-1/16" x 5/32" |
| 63131625010 | 2-1/8" x 5/32" |

POLISHERS

With an impressive lineup of metalworking tools, its no wonder the pros turn to FEIN when they need quality, durable grinders that can stand the test of time.



RS 17-70 E PIPE POLISHER SET

- + Variable speed control for professional surface treatment on vehicles and boats.
- + Universally useable as a full-featured grinder, finisher and polisher.
- + Left and right handed operation.
- + Carbon brushes with automatic switch-off function.

| | | RS 17-70 E |
|-------------------|-----|--------------------|
| Power consumption | W | 1,700 |
| Power output | W | 1,000 |
| No load speed | RPM | 2,700 - 8,500 |
| Belt speed | | 30 - 89 ft/sec |
| Pipes up to Ø | | 1/4 - 3-1/4" |
| Belt dimension | | 3/4 - 1-1/2" |
| Cable with plug | | 13.1 ft |
| Weight | lbs | 9.48 |
| Part Number | | 72227561090 |

PRICE INCLUDES: 1 RS 17-70 E, 20 sanding belts 13/16 x 32-1/16 in (10 each of grits 120 and 180), 20 sanding belts 1-9/16 x 32-1/16 in (10 each of grits 120 and 180), 5 fleece belts 13/16 x 32-1/16 in, very fine grit 280, 1 tool case



WPO 14-15 E POLISHER SET

- + Variable speed control for professional surface treatment on vehicles and boats.
- + Converts to a rotary sander with extraction hood and backing pad.
- + Left and right handed operation.
- + Carbon brushes with automatic switch-off function.

| | | WPO 14-15 E |
|-------------------|-----|--------------------|
| Power consumption | W | 1,200 |
| Power output | W | 750 |
| No load speed | RPM | 500 - 1,500 |
| Polishing disc Ø | | 9 in. |
| Mounting thread | | M 14 |
| Cable with plug | | 13.1 ft |
| Weight | lbs | 5.51 |
| Part Number | | 72214850070 |

PRICE INCLUDES: 1 WPO 14-15 E, 1 handle bracket (rotatable), 1 hand guard, 1 arbor, 1 fleece wheel with corrugated folds, 1 backing pad with H&L (4-1/2 in dia. 5/8 in-11), 10 sanding fleece with H&L (4-1/2 in dia. fine), 1 gum wheel (4 x 4 in dia., 60 grit), 1 fleece wheel (4 x 4 in dia., 180 grit), 2 wrenches, 1 anti-vibration handle, 1 tool case



WPO 14-25 E POLISHER SET

- + Variable speed control for professional surface treatment on vehicles and boats.
- + Converts to a rotary sander with extraction hood and backing pad.
- + Carbon brushes with automatic switch-off function.

| WPO 14-25 E | | |
|-------------------|-----|--------------------|
| Power consumption | W | 1,200 |
| Power output | W | 750 |
| No load speed | RPM | 900 - 2,500 |
| Backing pad | | 9 in. |
| Polishing disc Ø | | 9 in. |
| Mounting thread | | M 14 |
| Cable with plug | | 13.1 ft |
| Weight | lbs | 5.51 |
| Part Number | | 72214950080 |

PRICE INCLUDES: 1 WPO 14-25 E, 1 handle bracket (rotatable), 1 hand guard, 1 arbor, 1 fleece wheel with corrugated folds, 1 backing pad with H&L (4-1/2 in dia. 5/8 in-11), 10 sanding fleece with H&L (4-1/2 in dia. fine), 1 gum wheel (4 x 4 in dia., 60 grit), 1 fleece wheel (4 x 4 in dia., 180 grit), 2 wrenches, 1 anti-vibration handle, 1 tool case

POLISHER ACCESSORIES

|  |  |  |  |  |  | | | | | | | | | | | | | | | | | | |
|---|---|---|--|---|---|---|-------------|-----|-------------|-------|-------------|---|--|------|-------------|----|-------------|----|-------------|-----|-------------|---|---|
| 2" Work Arbor PART NUMBER: 63803072020 | 4" Work Arbor PART NUMBER: 63803068020 | Protect Suction Hood PART NUMBER: 31810264010 | Elastic Disc PART NUMBER: 63806187010 | 6" Pad PART NUMBER: 63806188010 | Stainless Steel Satin Flat Kit PART NUMBER: 63721050020 | | | | | | | | | | | | | | | | | | |
|  |  |  |  |  |  |  | | | | | | | | | | | | | | | | | |
| Gum Wheel 60 grit 4" PART NUMBER: 63721006012 | Gum Wheel 180 grit 4" PART NUMBER: 63721007016 | Gum Wheel 60 grit 2" PART NUMBER: 63721054010 | Gum Wheel 180 grit 2" PART NUMBER: 63721055010 | Fleece Wheel K280 PART NUMBER: 63721010010 | Sinus Fleece Wheel 180 grit 4" PART NUMBER: 63721051010 | Sinus Fleece Wheel 180 grit PART NUMBER: 63721056010 | | | | | | | | | | | | | | | | | |
|  |  |  |  |  |  | | | | | | | | | | | | | | | | | | |
| Fleece Wheel K100 PART NUMBER: 63721008014 | Fleece Wheel K180 PART NUMBER: 63721009018 | Expansion Roller 4" PART NUMBER: 63806192010 | Polishing Sponge PART NUMBER: 63723034010 | Lambs Wool Dome Shape PART NUMBER: 63723035010 | Felt Fleece Wheels PART NUMBER: Soft - 63721057010 Medium - 63721058010 | | | | | | | | | | | | | | | | | | |
| Pyramix Sleeves - 5 Pack | | Adrasive Sleeves - 5 Pack | | | | | | | | | | | | | | | | | | | | | |
|  | <table border="1"> <thead> <tr> <th>Grit</th> <th>Part Number</th> </tr> </thead> <tbody> <tr> <td>280</td> <td>63714145010</td> </tr> <tr> <td>400</td> <td>63714146101</td> </tr> <tr> <td>600</td> <td>63714147010</td> </tr> <tr> <td>1,400</td> <td>63714148010</td> </tr> </tbody> </table> | Grit | Part Number | 280 | 63714145010 | 400 | 63714146101 | 600 | 63714147010 | 1,400 | 63714148010 |  | <table border="1"> <thead> <tr> <th>Grit</th> <th>Part Number</th> </tr> </thead> <tbody> <tr> <td>60</td> <td>63714132010</td> </tr> <tr> <td>80</td> <td>63714133010</td> </tr> <tr> <td>120</td> <td>63714134010</td> </tr> </tbody> </table> | Grit | Part Number | 60 | 63714132010 | 80 | 63714133010 | 120 | 63714134010 |  | 16 pc. Stainless Steel Grinding Set Flat Finish PART NUMBER: 63806192020 |
| Grit | Part Number | | | | | | | | | | | | | | | | | | | | | | |
| 280 | 63714145010 | | | | | | | | | | | | | | | | | | | | | | |
| 400 | 63714146101 | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 63714147010 | | | | | | | | | | | | | | | | | | | | | | |
| 1,400 | 63714148010 | | | | | | | | | | | | | | | | | | | | | | |
| Grit | Part Number | | | | | | | | | | | | | | | | | | | | | | |
| 60 | 63714132010 | | | | | | | | | | | | | | | | | | | | | | |
| 80 | 63714133010 | | | | | | | | | | | | | | | | | | | | | | |
| 120 | 63714134010 | | | | | | | | | | | | | | | | | | | | | | |

GRINDING

With an impressive lineup of metalworking tools, its no wonder the pros turn to FEIN when they need quality, durable grinders that can stand the test of time.

WSG 7 SERIES - 7 AMP

- + Compact ergonomic grip
- + Paddle switch with dead-man function and slide switch models available
- + Solid metal drive head rotates in 90° increments, no plastic components



WSG 7-115
4-1/2" slide switch grinder
Speed: 12,500 RPM
PART NUMBER:
72219760120



WSG 7-115 PT
4-1/2" paddle switch grinder
Speed: 12,500 RPM
PART NUMBER:
72223160120

CG 10 SERIES - 10 AMP

- + Dust protection grille
- + Paddle switch with dead-man function
- + Solid metal drive head rotates in 90° increments, no plastic components
- + 4-1/2" and 5" models



CG 10-115PDEV
4-1/2" paddle switch grinder
Variable speed:
2,700 - 10,500 RPM
PART NUMBER:
72225960120



CG10-115PDE
4-1/2" paddle switch grinder
Speed: 10,500 RPM
PART NUMBER:
72226060120



CG10-125PDE
5" paddle switch grinder
Speed: 10,500 RPM
PART NUMBER:
72226160120

CG 13 SERIES - 13 AMP

- + Dust protection grille
- + Paddle switch with dead-man function and slide switch models available
- + Solid metal drive head rotates in 90° increments, no plastic components
- + Robust guard system & antivibration handle
- + 5" and 6" models



CG13-150 SS
6" slide switch grinder
Speed: 9,300 RPM
PART NUMBER:
72228361090



CG13-125PDE
5" paddle switch grinder
Speed: 11,500 RPM
PART NUMBER:
72226460120



CG13-150PDEV
6" paddle switch grinder
Variable speed:
2,500-9,500 RPM
PART NUMBER:
72226260120



CG13-150PDE
6" paddle switch grinder
Speed: 9,500 RPM
PART NUMBER:
72226360120

A RADICALLY IMPROVED CONCEPT.

NEW

CG 15 – The first of its class to include a brushless FEIN PowerDrive fully enclosed motor. Available with paddle switch or slide switch.

MADE IN GERMANY

LIGHT BUT POWERFUL

Best weight/performance ratio at 4.8lbs. and 1,050W output power. Significantly higher efficiency than an angle grinder with 1,700W rated input.

EXTREME DURABILITY

Sealed electronic components protect the unit from damaging grinding dust. Overload protection is built in to lead to fewer breakdowns and longer tool life.

READY FOR ANY APPLICATION

The infinitely variable electronic speed - ideal for a wide range of abrasives and applications.

NEW! ADVANCED MOTOR TECHNOLOGY

Completely enclosed brushless FEIN PowerDrive motor with optimized air flow boosts efficiency and power delivery for all applications.



WORK SAFELY

All CG-15 grinders feature soft start, kickback and jam monitoring with a **rapid (<2 sec) motor brake** actuation. Paddle switch models also feature a lanyard eyelet for fall protection.

CG 15 SLIDE SWITCH SERIES - 13 AMP

- + Brushless FEIN PowerDrive Motor
- + Slide switch models
- + Solid metal drive head rotates in 90° increments, no plastic components
- + Anti-vibration handle



CG 15-125 BL 5" slide switch grinder

Variable speed:
3,800 - 9,000 RPM

PART NUMBER:
72226760120



CG 15-125 BL INOX 5" slide switch grinder

Variable speed:
2,800 - 7,000 RPM

PART NUMBER:
72228660120



CG 15-150 BL 6" slide switch grinder

Variable speed:
2,800 - 7,000 RPM

PART NUMBER:
72227860120

CG 15 PADDLE SWITCH SERIES - 13 AMP

- + Brushless FEIN PowerDrive Motor
- + Paddle switch models
- + Solid metal drive head rotates in 90° increments, no plastic components
- + Anti-vibration handle
- + Lanyard hook included



CG 15-125 BLP 5" paddle switch grinder

Variable speed:
3,800 - 9,000 RPM

PART NUMBER:
72227660120



CG 15-125 BLP INOX 5" paddle switch grinder

Variable speed:
2,800 - 7,000 RPM

PART NUMBER:
72228560120



CG 15-150 BLP 6" paddle switch grinder

Variable speed:
2,800 - 7,000 RPM

PART NUMBER:
72227760120

CORDLESS ANGLE GRINDERS

Durability and portability make the NEW AMPShare cordless angle grinders with FEIN's powerful, fully encapsulated motors and variable speed control the perfect tools for any application.

MADE IN GERMANY

CCG-18 BL SERIES - 18V SLIDE SWITCH

- + Encapsulated, dust-proof and maintenance free, variable speed brushless motors
- + Solid metal drive head rotates in 90° increments
- + Anti-vibration, soft start, restart protection, overload protection and safety brake
- + LED light for clear vision of workpiece
- + Power equivalent to 1200W corded tool (10A)



CCG 18-125 BL AS SELECT
5" slide switch grinder
Variable speed: 2,500 - 8,500 RPM
PART NUMBER: 71220260120



CCG 18-125 BL AS
5" slide switch grinder
Variable speed: 2,500 - 8,500 RPM
PART NUMBER: 71220262120

Includes: 1 CCG 18-125 BL AS, 1 guard, 1 tool-free quick-action clamping nut, 1 anti-vibration handle, 1 wrench, 1 CORE 18 V 8.0 Ah battery pack, 1 GAL18 V-160 AS rapid charger, 1 nylon tool bag

CCG-18 BLPD SERIES - 18V PADDLE SWITCH

- + Encapsulated, dust-proof and maintenance free, variable speed brushless motors
- + Paddle switch with dead-man function
- + Solid metal drive head rotates in 90° increments
- + Anti-vibration, soft start, restart protection, overload protection and safety brake
- + LED light for clear vision of workpiece
- + Power equivalent to 1200W corded tool (10A)



CCG 18-125 BLPD AS SELECT
5" paddle switch grinder
Variable speed: 2,500 - 8,500 RPM
PART NUMBER: 71220460120



CCG 18-125 BLPD AS
5" paddle switch grinder
Variable speed: 2,500 - 8,500 RPM
PART NUMBER: 71220462120

Includes: 1 CCG 18-125 BL PD AS, 1 guard, 1 tool-free quick-action clamping nut, 1 anti-vibration handle, 1 wrench, 1 CORE 18 V 8.0 Ah battery pack, 1 GAL18 V-160 AS rapid charger, 1 nylon tool bag

AGSZ 18 CORDLESS DIE GRINDERS - 18V

- + Extended reach grinding
- + Variable speed
- + Motor and electronics protected against metal dust
- + Ideal for stainless and structural steel



MADE IN GERMANY



AGSZ 18-280 BL AS SELECT
Variable speed: 9,000 - 28,000 RPM
PART NUMBER: 71230461090



AGSZ 18-280 LBL AS SELECT
Variable speed: 9,000 - 28,000 RPM
PART NUMBER: 71230561090



AGSZ 18-90 LBL AS SELECT
Variable speed: 2,900 - 9,000 RPM
PART NUMBER: 71230661090



DIE GRINDERS

Difficult-to-reach areas are now easily accessible with FEIN's die grinders. Each die grinder features FEIN's fully encapsulated and brushless PowerDrive motor. With its variable speed control, RPM's can be adjusted to specific applications.

MADE IN GERMANY

GSZ 8 **DIE GRINDER - 6.25 AMP**

- + Fits in difficult-to-reach spots
- + Motor and electronics protected against metal dust
- + Ideal for stainless and structural steel



GSZ 8-280 P
Speed: 28,000 RPM
PART NUMBER: 72231660090



GSZ 8-280 PE
Variable speed: 8,500 - 28,000 RPM
PART NUMBER: 72231760090

GSZ 4 LONG REACH **DIE GRINDER - 3 AMP**

- + Extended reach grinding
- + Variable speed
- + Motor and electronics protected against metal dust
- + Ideal for stainless and structural steel



GSZ 4-280 EL
Variable speed: 13,000 - 28,000 RPM
PART NUMBER: 72232460090



GSZ 4-90 EL
Variable speed: 3,500 - 8,500 RPM
PART NUMBER: 72232560090

GSZ 8 LONG REACH **DIE GRINDER - 6.25 AMP**

- + Extended reach grinding
- + Variable speed
- + Motor and electronics protected against metal dust
- + Ideal for stainless and structural steel



GSZ 8-280 PEL
Variable speed: 8,500 - 28,000 RPM
PART NUMBER: 72231960090



GSZ 8-90 PEL
Variable speed: 2,500 - 9,000 RPM
PART NUMBER: 72232060090

GSZ 11 LONG REACH RAT TAIL **DIE GRINDER - 8.5 AMP**

- + Extended reach grinding
- + Variable speed
- + Motor and electronics protected against metal dust
- + Ideal for stainless and structural steel
- + Rat tail grip provides an ergonomic fit for better control and comfort



GSZ 11-320 PERL
Variable speed: 9,500 - 32,500 RPM
PART NUMBER: 72232260090



GSZ 11-90 PERL
Variable speed: 2,900 - 9,900 RPM
PART NUMBER: 72232360090

BEVELERS

FEIN corded and cordless Bevelers are an accurate and precise way to make bevels and radii on flat materials, sheet metal and containers, for inner and outer edges, contours, and rounding holes. A compact and lightweight design makes them perfect for tight spaces and fatigue-free work.

AKFH 18-5T AS CORDLESS BEVELER

KIT PART NUMBER: 71380562090
SELECT PART NUMBER: 71380360090

DURABLE

Brushless FEIN PowerDrive motor. Completely encapsulated and maintenance-free.

POWERFUL

CORE 18 V Li-ion battery with Highpower cells, charge indicator and electronic cell protection (ECP), protecting batteries against overloading, overheating and deep discharge.

SAFETY

With soft start, restart protection, blockage monitoring and electronic overload protection.

FUNCTIONAL

Produce chamfers and radii on inner and outer edges of flat materials.



| | | AKFH 18-5T AS |
|----------------------------|----------|------------------------|
| BATTERY VOLTAGE | V | 18 |
| BATTERY PLATFORM | | AMPShare |
| NO LOAD SPEED | RPM | 2,400 - 7,500 |
| BEVEL LENGTH MAX @45° | IN (MM) | 3/16 (5) |
| BEVEL HEIGHT MAX @45° | IN (MM) | 1/8 (3.5) |
| BEVEL ANGLE | | 45° |
| RADIUS | IN (MM) | 1/16 / 1/8 (1.2 / 2.5) |
| MILLING HEAD CONFIGURATION | | 3 x SX-Plate |
| SUPPORT PLATE DIAMETER | IN (MM) | 3 7/8 (98) |
| WEIGHT W/O BATTERY | LBS (KG) | 6.6 (3.0) |

KIT PRICE INCLUDES: 1 AKFH 18-5T AS, 1 8Ah CORE 18V battery, 1 Fast charger, 3 Clamping screw, 1 Copper paste, 1 Allen key 4 mm, 1 Torx screw driver TX15, 1 Beveler head, 1 Ø 21.69 mm guide roller for 45° bevel and 2.5 mm radius, 45° mild steel inserts, 1 L-BOXX



KFH 17-8 RT BEVELER**

PART NUMBER: 72381761090

SAFETY

With soft start, restart protection, blockage monitoring and electronic overload protection.

HIGH-PERFORMANCE

High removal rate of material with low effort.



FEIN ERGOGRIP

Ergonomic handle design. For efficient, that reduces fatigue. Maximum hold and control, even when wearing welders' gloves.

BOOSTER TECHNOLOGY

Booster Technology offers significantly reduced vibration and chatter for improved performance.

| KFH 17-8 RT | | |
|----------------------------|----------|-------------------|
| INPUT POWER | W | 1,500 |
| POWER OUTPUT | W | 835 |
| NO LOAD SPEED | RPM | 2,300 - 7,500 |
| BEVEL LENGTH MAX @45° | IN (MM) | 5/16 (8) |
| BEVEL HEIGHT MAX @45° | IN (MM) | 1/4 (5.7) |
| BEVEL ANGLE | | 30° / 37.5° / 45° |
| RADIUS | IN (MM) | 1/8 (3) |
| MILLING HEAD CONFIGURATION | | 3 x KX-Plate |
| SUPPORT PLATE DIAMETER | IN (MM) | 4 5/8 (118) |
| CABLE W/PLUG | FT (M) | 13 (4) |
| WEIGHT | LBS (KG) | 10 (4.6) |



PRICE INCLUDES: 1 KFH 17-8 RT**, 3 Clamping screw, 1 Copper paste, 1 Allen key 5 mm, 1 Torx screw driver TX15, 1 L-BOXX

Corded bevelers are sold without heads or inserts. Heads and inserts are material and angle specific. Please choose the appropriate head and insert on **page 38 for your application.

BEVELERS

FEIN corded and cordless Bevelers are an accurate and precise way to make bevels and radii on flat materials, sheet metal and containers, for inner and outer edges, contours, and rounding holes. A compact and lightweight design makes them perfect for tight spaces and fatigue-free work.

AKFH 17-15 RT BEVELER**

KIT PART NUMBER: 72381961090

SAFETY

With soft start, restart protection, blockage monitoring and electronic overload protection.

FUNCTIONAL

Produce chamfers and radii on inner and outer edges of flat materials.

FEIN ERGOGRIP

Ergonomic handle design. For efficient, that reduces fatigue. Maximum hold and control, even when wearing welders' gloves.

HIGH-PERFORMANCE MOTOR

Durable, overload protected FEIN motor with high copper content for maximum power. Designed for optimal air flow.

BOOSTER & SPRING TECHNOLOGY

Booster Technology offers significantly reduced vibration and chatter for improved performance while spring technology ensures safety and significantly reduces vibration by ensuring the rotational forces are cushioned.



| | | KFH 17-15 RT |
|----------------------------|----------|-------------------|
| INPUT POWER | W | 1,500 |
| POWER OUTPUT | W | 835 |
| NO LOAD SPEED | RPM | 2,300 - 7,500 |
| BEVEL LENGTH MAX @45° | IN (MM) | 5/8 (15) |
| BEVEL HEIGHT MAX @45° | IN (MM) | 7/16 (10.6) |
| BEVEL ANGLE | | 30° / 37.5° / 45° |
| RADIUS | IN (MM) | 1/8 (3) |
| MILLING HEAD CONFIGURATION | | 3 x 2 KX-Plate |
| SUPPORT PLATE DIAMETER | IN (MM) | 5-7/16 (137) |
| CABLE W/PLUG | FT (M) | 13 (4) |
| WEIGHT | LBS (KG) | 14 (6.4) |



PRICE INCLUDES: 1 KFH 17-15 RT**, 6 Clamping screw, 1 copper paste, 1 Allen key 5 mm, 1 Torx screw driver TX15, 1 L-BOXX

Corded bevelers are sold without heads or inserts. Heads and inserts are material and angle specific. Please choose the appropriate head and insert on **page 38 for your application.



AKFH 18-5T ACCESSORIES

| | DESCRIPTION | PART NUMBER |
|---|--|-------------|
|  | Guide roller Ø 21.69 mm for 45° bevel and radius 2.5 mm (0.098") | 64303001010 |
|  | Indexable insert SX for bevel for universal application (steel, millable stainless steels) (usable 8 times) (Package = 10 Pcs) | 64302001010 |
|  | Indexable insert SX for R2.5 mm (0.098") for universal application (steel, millable stainless steels) (usable 8 times) (Package = 10 Pcs) | 64302002010 |
|  | Clamping screw SX for indexable insert SX (Package = 10 Pcs) | 31350076000 |

KFH 17-8 RT & KFH 17-15 RT ACCESSORIES

| | DESCRIPTION | PART NUMBER |
|---|--|-------------|
|  | Guide roller Ø 29.90 mm (1.177") for 30° and 37.5° bevel; no radius | 64303002010 |
| | Guide roller Ø 26.30 mm (1.035") for 45° bevel; no radius | 64303003010 |
| | Guide roller Ø 25.00 mm (0.984") for 60° bevel; no radius | 64303008010 |
|  | Guide roller Ø 28.55 mm (1.124") for 45° bevel and radius 3 mm (0.118") | 64303004010 |
|  | Indexable insert KX for bevel for universal application (steel) (usable 8 times) (Package = 10 Pcs) | 64302004010 |
|  | Indexable insert KX for bevel for aluminum, non-ferrous metals, soft materials (usable 8 times) (Package = 10 Pcs) | 64302003010 |
|  | Indexable insert KX for R3 mm (0.118") for universal application (steel) (usable 8 times) (Package = 10 Pcs) | 64302006010 |
| | Indexable insert KX for R4 mm (0.118") for universal application (steel) (usable 8 times) (Package = 10 Pcs) | 64302017010 |
|  | Indexable insert KX for R3 mm (0.118") for aluminum, non-ferrous metals, soft materials (usable 8 times) (Package = 10 Pcs) | 64302005010 |
|  | Clamping screw KX for indexable insert KX (Package = 10 Pcs) | 31350075000 |

KFH 17-8 RT ACCESSORIES

| | DESCRIPTION | PART NUMBER |
|---|--|-------------|
|  | 3 - insert milling cutter for 30° bevel | 64301002010 |
| | 3 - insert milling cutter for 37.5° bevel | 64301001010 |
| | 3 - insert milling cutter for 45° bevel and radius | 64301002010 |

KFH 17-15 RT ACCESSORIES

| | DESCRIPTION | PART NUMBER |
|---|--|-------------|
|  | 6 (3x2) - insert milling cutter for 30° bevel | 64301004010 |
| | 6 (3x2) - insert milling cutter for 37.5° bevel | 64301006010 |
| | 6 (3x2) - insert milling cutter for 45° bevel and radius | 64301003010 |



METAL CUTTING SAWS

Sluggerr by FEIN metal cutting saws are built to stand up to whatever you can throw at them. With heavy-duty construction, heat free cutting and features that promote productivity and safety, it's no wonder Sluggerr by FEIN metal cutting saws are what the professionals use.

NEW!

THE NEW F IRON CUT 57 AS 6" CORDLESS METAL CUTTING SAW

KIT PART NUMBER: 71360462090
SELECT PART NUMBER: 71360461090

WORK SAFELY

Integrated chip collection keeps your job site clean.

QUALITY

Die cast aluminum housing and guard.



PRECISE

Straight cuts are made simple with the provided guide rail adapter.

- + Adjustable cutting depth up to 2-1/4"
- + Achieve straight, long, precise cuts with the provided guide rail adapter compatible with Makita, Bosch, Festool and Mafell guide rails
- + Average 150 cuts or 100' on a single 8Ah charge (3/32" mild steel)

KIT INCLUDES: 1 6" F-IRON Cut 57 AS, 1 Mild steel saw blade mounted, 1 5mm allen key, 1 Chip collection container, 1 Rip fence, 1 Guide rail adapter, 2, 8Ah CORE 18V batteries, 1 Fast charger, 1 L-Boxx pro tool case

6" Saw Capacities

Mild Steel - 15/16" | **Aluminum** - 1-1/2" | **Stainless Steel** - 1/4"

CONVENIENCE

Compatible with the 18V AMPShare battery platform.

F IRON CUT 75 ACCESSORIES

Guide Rail

31-1/2" guide rail for hand circular saws

PART NUMBER: 32133039000



Guide Rail Connector

Guide rail connector for hand circular saws

PART NUMBER: 32133040000



6" METAL SAW BLADES



| | Part Number | Teeth | Arbor | Application |
|---------------|-------------|-------|-------|---|
| 6" (150mm) | 63502305000 | 30 | 3/4" | Mild steel up to 15/16" (24mm) solid material |
| | 63502306000 | 32 | 3/4" | Aluminum up to 1-1/2" (40mm) solid material |
| | 63502307000 | 30 | 3/4" | Stainless steel up to 1/8" (4mm) solid material |



7-1/4" METAL CUTTING SAW

PART NUMBER: 69908120000

ERGONOMIC:

Well balanced handle design for better control.

WORK SAFELY

Integrated chip collection keeps your job site clean.



PRECISE

LED work light & laser guide for straight, accurate cuts (No batteries needed).

CONVENIENCE

Soft start motor with electric brake.

- + 2-1/2" maximum cutting depth
- + Bevel cut up to 45 degrees
- + Integrated chip collection keeps your job site clean
- + Leaves a workable edge when cutting steel plate, square tube, angle, pipe & tube

KIT INCLUDES: 1 7-1/4" Metal cutting saw, 1 blade, 1 wrench, 1 guide plate, 1 safety eyewear, 1 ear protection, 1 tool case

7-1/4" Saw Capacities

Mild Steel - 5/16" | Aluminum - 3/8" | Stainless Steel - 1/4"



7", 7-1/4" & 8" METAL SAW BLADES

| | Part Number | Teeth | Arbor | Application |
|----------------|-------------|-------|-------|---|
| 7" (180mm) | 63502007500 | 36 | 3/4" | Mild steel up to 5/16" (8mm) solid material |
| | 63502007510 | 54 | 3/4" | Aluminum up to 3/8" (9.5mm) solid material |
| | 63502007520 | 48 | 3/4" | Stainless steel up to 1/4" (6mm) solid material |
| | 63502007530 | 48 | 3/4" | Thin steel up to 1/4" (6mm) solid material |
| 7 1/4" (185mm) | 63502007200 | 36 | 3/4" | Mild steel up to 5/16" (8mm) solid material |
| | 63502007210 | 54 | 3/4" | Aluminum up to 3/8" (9.5mm) solid material |
| | 63502007220 | 48 | 3/4" | Stainless steel up to 1/4" (6mm) solid material |
| | 69908120450 | 48 | 3/4" | Thin steel up to 1/4" (6mm) solid material |
| 8" (203mm)* | 69908120441 | 42 | 5/8" | Mild steel up to 5/16" (8mm) solid material |

* Does not fit 7-1/4" Metal Cutting Saw



METAL CUTTING SAWS

Slugger by FEIN metal cutting saws are built to stand up to whatever you can throw at them. With heavy-duty construction, heat free cutting and features that promote productivity and safety, it's no wonder Slugger by FEIN metal cutting saws are what the professionals use.

9" METAL CUTTING SAW

PART NUMBER: 69908120001



CONVENIENCE
Soft start motor with electric brake.

PRECISE
LED work light & laser guide for straight, accurate cuts (No batteries needed).

WORK SAFELY
Integrated chip collection keeps your job site clean.

OPERATION
Smooth bevel and angle cutting adjustments.

- + Worm drive and oil bath gearbox makes for a longer lasting tool
- + Quick release depth adjustment for plunge cuts
- + 3-3/8" maximum cutting depth
- + Cutting surfaces are cool to the touch, allowing you to work faster and safer

KIT INCLUDES: 1 9" Metal cutting saw, 1 blade, 1 wrench, 1 guide plate, 1 safety eyewear, 1 ear protection, 1 tool case

9" Saw Capacities
Mild Steel - 1/2" | Aluminum - 5/8" | Stainless Steel - 5/16"



9" METAL SAW BLADES

| | Part Number | Teeth | Arbor | Application |
|------------|-------------|-------|-------|--|
| 9" (230mm) | 63502009540 | 48 | 1" | Mild steel up to 1/2" (12.7mm) solid material |
| | 63502009550 | 60 | 1" | Aluminum up to 5/8" (15.9mm) solid material |
| | 63502009560 | 60 | 1" | Stainless steel up to 5/16" (8mm) solid material |
| | 69908120448 | 60 | 1" | Thin steel up to 1/4" (6mm) solid material |



14" METAL CUTTING SAW

PART NUMBER: 72905361120

WORK SAFELY

Eye protection plate.

POWERFUL

Low speed, high torque motor for smooth, clean cuts.

CONVENIENCE

Smooth clamp adjustments to quickly go from one job to the next.

DURABLE

Rock solid cast iron design delivers less vibration for smooth clean cuts.



- + 5-1/8" maximum cutting depth
- + Chip collection tray keeps your job site clean
- + Cutting surfaces are cool to the touch, allowing you to work faster and safer
- + Depth stop allows you to consistently control your cut depth for reliable, precise cuts

KIT INCLUDES: 1 14" Metal cutting saw, 1 blade, 1 wrench, 1 table vise, 1 safety eyewear, 1 ear protection

14" Saw Capacities

Mild Steel - 1/2" | **Aluminum** - 5/8" | **Stainless Steel** - 5/16"

45°

Round - 4-1/8" | **Square** - 3-1/2" | **Rectangle** - 3-1/2" x 4-3/8"

90°

Round - 5-1/8" | **Square** - 4-3/4" | **Rectangle** - 3-3/4" x 7-1/4"



14" METAL SAW BLADES

| | Part Number | Teeth | Arbor | Application |
|-------------|-------------|-------|-------|--|
| 14" (355mm) | 63502014600 | 66 | 1" | Mild steel up to 1/2" (12.7mm) solid material |
| | 63502014610 | 80 | 1" | Aluminum up to 5/8" (15.9mm) solid material |
| | 63502014620 | 90 | 1" | Stainless steel up to 5/16" (8mm) solid material |
| | 63502014630 | 90 | 1" | Thin steel up to 1/4" (6mm) solid material |

RECIPROCATING SAWS

Ideally suited for cutting pipes and profiles made of steel, cast iron, autoclaved aerated concrete and plastics.

ASTXE 649 ELECTRIC HACKSAW

PART NUMBER: 72342460090

MADE IN GERMANY



- + Electronic speed control for optimal cutting speed.
- + Adjustable clamping devices permit miter cuts up to 45° as well.
- + Straight cuts up to 24".

| | | ASTXE 649 |
|--------------------------|---------|-----------------------------|
| Power consumption | W | 750 |
| Power output | W | 480 |
| Strokes | spm | 100 - 350 |
| Stroke of blade | in[mm] | 2-1/4 [60] |
| Pipes up to Ø | in[mm] | 15-3/4 [400] |
| Profiles up to W x H | in[mm] | 11-1/2 [290] x 21-3/4 [550] |
| Cable with plug | ft[m] | 8.2 [2.5] |
| Weight according to EPTA | lbs[kg] | 14.11 [6.40] |

STS 325R PNEUMATIC HACKSAW

PART NUMBER: 75340813000

MADE IN GERMANY



- + Adjustable clamping devices permit mitre cuts up to 45° as well.
- + Clamp and feed device available.
- + Adjustable clamping fixtures.

| | | STS 325R |
|--------------------------|--------------------------|-----------------------------|
| Operating pressure | psi[bar] | 87 [6.0] |
| Air consumption | cfm[m ³ /min] | 51.2 [1.45] |
| Power output | W | 1,100 |
| Strokes | spm | 330 |
| Stroke of blade | in[mm] | 2-1/4 [60] |
| Pipes up to Ø | in[mm] | 17-1/4 [440] |
| Profiles up to W x H | in[mm] | 11-1/2 [290] x 19-3/4 [500] |
| Weight according to EPTA | lbs[kg] | 15.87 [7.20] |



HACKSAW BLADES

| Length, TPI and Blade Type - Sold individually | |
|--|----------------------------|
| 63503065009 | 8" L, 8 TPI, HSS |
| 63503066002 | 8" L, 16 TPI, HSS |
| 63503067006 | 8" L, 24 TPI, HSS |
| 63503070000 | 12" L, 12 TPI, HSS |
| 69908104003 | 12" L, 16 TPI, HSS |
| 63503094002 | 12" L, 12 TPI, Tempered |
| 63503093004 | 12" L, 16 TPI, Tempered |
| 63503096018 | 13" L, 12 TPI, Boron |
| 63503095006 | 15-3/4" L, 8 TPI, Tempered |
| 63503068004 | 16" L, 8 TPI, HSS |
| 63503064005 | 16" L, 16 TPI, HSS |
| 69908104005 | 16" L, 16 TPI, Carbide |
| 63503097012 | 19-1/4" L, 8 TPI, Boron |
| 63503069008 | 21" L, 12 TPI, HSS |
| 63503073006 | 24" L, 14 TPI, HSS |
| 63503098001 | 24" L, 20 TPI, Tempered |
| 69908104001 | 37" L, 12 TPI, HSS |
| 69908104011 | 30" L, 12 TPI, HSS |



HACKSAW ACCESSORIES



Small Pipe Clamp

Handles up to 6" pipes

PART NUMBER:
90702001001



Large Pipe Clamp

Handles up to 12 3/4" pipe.
Extension chain can be added
to expand capacity to 24"

PART NUMBER:
90702004006



18" Extension chain and bolt

Up to 18" diameter capacity when
added to pipe clamp 90702004006

PART NUMBER:
69908195291



24" Extension chain and bolt

Up to 24" diameter capacity when
added to pipe clamp 90702004006

PART NUMBER:
69908195290

NIBBLERS & SHEARS

Corrugated sheet metal, trapezoid sheet metal, steel plates, profiles or pipes – with FEIN, you always have the right cutting method at hand.

BLK 1.3 CSE NIBBLER

PART NUMBER: 72324260120

- + Indexable cutting direction
- + Variable speed motor
- + Up to 7.5ft/min cutting speed
- + Long life punch and die kit
- + Extra long 16ft power cord

Capacity:

Mild steel up to 18 gauge (1.3mm)
Stainless Steel up to 24 gauge (.6mm)



BLK 1.6 E NIBBLER

PART NUMBER: 72323860120

- + Indexable cutting direction
- + Variable speed motor
- + Up to 6.2ft/min cutting speed
- + Long life punch and die kit
- + Extra long 16ft power cord

Capacity:

Mild steel up to 16 gauge (1.6mm)
Stainless Steel up to 22 gauge (.75mm)



NIBBLER ACCESSORIES

| Part Number | Description |
|-------------|--------------------------------------|
| 30109169030 | 5 Punch/1 Die kit for BLK 1.3CSE |
| 30109169009 | 1 Die for BLK 1.3 CSE |
| 63602050000 | 1 Punch for BLK 1.3 CSE |
| 63602048013 | 1 Punch/1 - Die kit for 1.6E Nibbler |
| 30109141003 | 1 Die for BLK 1.6E |
| 63602048004 | 1 Punch for BLK 1.6E |
| 92602071019 | 1 Profil-Kit extension 160 |

BLS 1.6 E SHEET METAL SHEAR

PART NUMBER: 72303461090

- + Engineered for distortion free cutting
- + Cuts straight lines and curves
- + Variable speed motor
- + Design allows for full visibility of cutting line
- + 4 sided indexable cutting blades for long life
- + Extra long 16ft power cord

Capacity:

Mild steel up to 16 gauge (1.6mm)
Stainless Steel up to 20 gauge (1.0mm) 20



BSS 1.6 E SLITTING SHEAR

PART NUMBER: 72303161090

- + Engineered for distortion free cutting
- + Variable speed motor
- + Design allows for full visibility of cutting line
- + Long life cutting blade
- + Extra long 16ft power cord

Capacity:

Mild steel up to 16 gauge (1.6mm)
Stainless Steel up to 19 gauge (1.0mm)



SHEAR ACCESSORIES

| Part Number | Description |
|-------------|--|
| 31308072000 | BLS 1.6E standard shear replacement blade - single blade |
| 31308153014 | BSS 1.6E slitting shear Cutting bars - pair |
| 31308152001 | BSS 1.6E slitting shear Cutter blade (for Stainless steel up to .031" thickness) |
| 31308123008 | BSS 1.6E slitting shear Cutter blade (for Stainless steel up to .051" thickness) |
| 31308151008 | BSS 1.6E slitting shear Cutter blade (for mild steel up to .039" thickness) |
| 31308150009 | BSS 1.6E slitting shear Cutter blade (for mild steel up to .063" thickness) |



BLK 3.5 E NIBBLER

PART NUMBER: 72324661090

- + Cuts through grooves and cut-outs in sheet metals, tool can turn on the spot.
- + Adjustable cutting direction in three 90° steps
- + Chip protection mesh on vent slots

Capacity:

Mild steel up to 10 gauge (3.2mm)
Stainless Steel up to 14 gauge (1.8mm)

| | |
|---|--|
| Mild steel punch and die: Punch - 31309097002 Die - 31309093003 | Stainless steel punch and die: Punch - 31309098000 Die - 31309094001 |
|---|--|



BLK 5.0 NIBBLER

PART NUMBER: 72324761090

- + Indexable cutting direction
- + Powerful 1,700W Motor
- + Up to 4.9 ft/min cutting speed
- + Long life punch and die kit
- + Extra long 16ft. Power Cord

Capacity:

Mild steel up to 6 gauge (5.0mm)
Stainless Steel up to 13 gauge (2.5mm)

| | |
|--|--|
| For 1/4" mild steel thickness: Punch - 31309110004 Die - 31309109002 | For stainless steel: Punch - 31309134006 Die - 31309108008 |
|--|--|

AMPSHARE CORDLESS NIBBLERS AND SHEARS



ABLK 18 1.3 CSE NIBBLER

KIT PART NUMBER: 71320565090
SELECT PART NUMBER: 71321061090

- + Indexable cutting direction
- + Variable speed motor
- + Up to 7.5ft/min cutting speed
- + Long life punch and die kit
- + Includes additional (5) punch and (1) die kit (30109169030)

Capacity:

Mild steel up to 18 gauge (1.3mm)
Stainless Steel up to 24 gauge (.6mm)



ABLK 18 1.6 E NIBBLER

KIT PART NUMBER: 71320465090
SELECT PART NUMBER: 71321161090

- + Indexable cutting direction
- + Variable speed motor
- + Up to 6.2ft/min cutting speed
- + Long life punch and die kit
- + Includes additional punch and die kit (63602048013)

Capacity:

Mild steel up to 16 gauge (1.6mm)
Stainless Steel up to 22 gauge (.75mm)



ABSS 18 1.6 E SLITTING SHEAR

KIT PART NUMBER: 71300565090
SELECT PART NUMBER: 71300561090

- + Cuts straight lines and curves
- + Variable speed motor
- + Engineered for distortion free cutting
- + Design allows for full visibility of cutting line
- + Long life cutting blade
- + Includes additional cutting blade (31308151008)

Capacity:

Mild steel up to 16 gauge (1.6mm)
Stainless Steel up to 19 gauge (1.0mm)



ABLS 18 1.6 E SHEET METAL SHEAR

KIT PART NUMBER: 71300665090
SELECT PART NUMBER: 71300661090

- + Cuts straight lines and curves
- + Variable speed motor
- + Engineered for distortion free cutting
- + Design allows for full visibility of cutting line
- + 4 sided indexable cutting blades for long life
- + Includes additional cutting insert (31308072000)

Capacity:

Mild steel up to 16 gauge (1.6mm)
Stainless Steel up to 19 gauge (1.0mm)



****All nibbler and shear kits contain (2) 4Ah CORE 18V batteries, (1) Rapid charger (92604334010), (1) marker and (1) roll of tape.****

VERSAMAG

Boost productivity and increase jobsite safety by taking the vise wherever you need it.

NEW!



VERSAMAG SYSTEM

MANEUVERABILITY IN MIND

Strong Permanent Magnet provides 1,750lb holding force on 1" steel plate. Magnet can also be easily adjusted.

ALL METAL CONSTRUCTION

Multi-function jaw quickly grips workpieces safely. Large 4.25" jaw capacity.


PRECISION

Machined surface provides smooth jaw action while clamping.



EASY TO OPERATE

Tool-free set up with everything you need stored on VersaMAG.



| TECHNICAL DATA | VersaMAG permanent magnet with vise |
|-------------------------------|---|
| JAW HEIGHT (IN) | 1.57" |
| CLAMPING WIDTH (IN) | 4.25" |
| MAGNETIC FOOT DIMENSIONS (IN) | 8.35" x 2.75" |
| MAGNETIC HOLDING FORCE (LBF.) | 1,750 |
| WEIGHT (LBS) | 16 |
| JAW WIDTH (IN) | 3.94" |
| INCLUDES | 1x permanent magnet, 1x vise, 1x socket head wrench (3 mm), 1x safety strap |
| PART NUMBER | 90701004020 |



VersaMAG ACCESSORIES



2-1/3 inch oversized jaw for FEIN VersaMAG

PART NUMBER: 32422420010
Perfect for machining larger flat and round materials with a diameter of up to 4 inches. Only compatible with the FEIN VersaMAG vise.

NEW!



Aluminium (p) prism & (b) blank jaws for FEIN VersaMAG

PART NUMBER: 90701010010
Flat material can be clamped with ease thanks to the 90° milled slot at the top. No scratching of the material – superlative quality even with sensitive workpieces, such as stainless steel, aluminium or plastics. Only compatible with the FEIN VersaMAG.



Welding plate for FEIN VersaMAG

PART NUMBER: 90701005020
Long-life welding plate with a hole diameter of 5/8" on a 10 x 10in. plate. Plasmatized product for good surface protection, also features a prefabricated drill pattern for Demmeler and Siegmund elements. Only compatible with the FEIN VersaMAG.

NEW!



Universal panel for FEIN VersaMAG

PART NUMBER: 90701008030
Ultimate convenience with the VersaMAG universal plate. Easy attachment of measuring devices, tablets or phones for hands-free use on any magnetic surface. Only compatible with the FEIN VersaMAG.

HAND HELD DRILLS

FEIN is known worldwide for its quality and dependable drilling solutions. We have one of the best selections of corded drills on the market today.

**MADE IN
GERMANY**

BOP 10 HAND DRILL - 3/8"

PART NUMBER: 72055360090

- + Precision, all metal 3/8" 3-jaw chuck
- + Reversible
- + FEIN high performance motor with speed stability for constant drilling
- + Adjustable handle
- + Speed: 0 - 1,500 RPM
- + Extra long 16ft power cord



BOP 13-2 HAND DRILL - 1/2"

PART NUMBER: 72055560090

- + Precision, all metal 1/2" 3-jaw chuck
- + Mechanical, 2-speed gearbox with speed adjustment
- + Reversible
- + FEIN high performance motor with speed stability for constant drilling
- + Adjustable handle
- + Variable speed: 0 - 680 / 0 - 2,200 RPM
- + Extra long 16ft power cord



BOS 16 HAND DRILL - 5/8"

PART NUMBER: 72054760090

- + Precision, all metal 5/8" 3-jaw chuck
- + Reversible
- + FEIN high performance motor with speed stability for constant drilling
- + Adjustable handle
- + Speed: 0 - 520 RPM
- + Extra long 16ft power cord



BOS 16-2 HAND DRILL - 5/8"

PART NUMBER: 72054960090

- + Precision, all metal 5/8" 3-jaw chuck
- + Mechanical, 2-speed gearbox with speed adjustment
- + Reversible
- + FEIN high performance motor with speed stability for constant drilling
- + Adjustable handle
- + Variable speed: 0 - 520 / 0 - 1,600 RPM
- + Extra long 16ft power cord



MAG DRILLS



Slugger by FEIN offers more magnetic base drills for more applications, providing the right tool for every job. All Slugger by FEIN magnetic base drills reduce downtime with 100% duty cycle, high-performance, high torque motors.

ENDURANCE DRILLS

Maximum durability and portability make the Slugger Endurance series magnetic base drills the ultimate drills for any heavy drilling situation. Quality, superior durability and essential functionality, these drills are more than capable of handling any drilling task.

- + High performance, 100% duty cycle motors designed for all day hole making.
- + Lightweight, ergonomic drill stands.
- + Easily accessible controls for motor and magnet.
- + Feed handle can be changed to either side.
- + Drill chuck and countersink accessories available.

NEW!



JME SHORTSLUGGER II

PART NUMBER: 72709461090

- + Extra-durable gearbox design with up to 400 hours of operation time
- + Internal motor cord
- + Tilt sensor safety shut off
- + Coolant tank included
- Capacity:** 1-1/4" x 2"
- Stroke length:** 3-9/16"
- Weight:** 23.8 lb
- Recommended Cutters:** HSS



JME HOLEMAKER III

PART NUMBER: 72705961090

- + Optimal RPM's for both HSS and Carbide cutters
- + Double dovetail design for use with longer tooling
- + Pivoting motor cable
- + Coolant tank included
- Capacity:** 1-3/8" x 2"
- Stroke length:** 5-11/16"
- Stroke range:** 10-1/4"
- Weight:** 25.8 lb
- Recommended Cutters:** HSS/Carbide



JHM USA 101

PART NUMBER: 72725261124

- + Solid die-cast aluminum construction
- + Smart magnet safety circuitry
- + Uniform torque motor ideal for HSS cutters
- + Positive slug ejection
- + Coolant tank included
- Capacity:** 1-1/2" x 2"
- Stroke length:** 2-9/16"
- Weight:** 31.75 lb
- Recommended Cutters:** HSS



JME USA 202 M

PART NUMBER: 72706961090

- + Mechanical 2-speed gearbox
- + Optimal for both HSS and Carbide
- + Pivoting motor cable
- + Coolant tank included
- Capacity:** 2" x 2"
- Stroke length:** 5-5/16"
- Stroke range:** 10-1/4"
- Arbor:** #3 Morse taper
- Weight:** 30.9 lb
- Recommended Cutters:** HSS/Carbide

NEW!



JME MAGSPEED 150

PART NUMBER: 72732461090

- + Outstanding cutting performance with cutting speeds of up to 230 ft/min with stable speed and torque curve
- + Reduce drilling times up to 50% over conventional HSS mag drills when using TCT and coated TCT cutters
- + Tilt sensor safety shut off
- + Integrated cooling tank
- + Brushless motor
- Capacity:** 1-1/2" x 2"
- Stroke length:** 4-3/16"
- Weight:** 24.25 lb
- Recommended Cutters:** TCT/Coated TCT carbide

CUT DRILLING TIMES BY 50%!

*VS HSS STEEL



REQUEST A DEMO

UNIVERSAL DRILLS

Universal drills with functionality in mind and outstanding performance with quality and technology to boot. The Slugger Universal series magnetic base drill series offers the precision tools needed to complete any job with repeatability and consistency.

- + High performance, 100% duty cycle motors designed for all day hole making.
- + Lightweight, ergonomic drill stands.
- + Universal functionality for drilling, tapping, reaming and countersinking.
- + Double dovetail design for longer tooling.



JMU 137 MQW

PART NUMBER: 72705661120

- + Tilt sensor safety shutoff
- + Electronic speed and reversing motor controls
- + Coolant tank included
- Capacity:** 1-3/8" x 2"
- Stroke length:** 5-5/16"
- Stroke range:** 10-1/4"
- Weight:** 23.6 lb
- Recommended Cutters:** HSS/Carbide



JMU 137-2 QW

PART NUMBER: 72705861120

- + Tilt sensor safety shutoff
- + Mechanical 2 speed gearbox designed for small twist drills and annular cutters
- + Electronic speed and reversing motor controls
- + Coolant tank included
- Capacity:** 1-3/8" x 2"
- Stroke length:** 5-5/16"
- Stroke range:** 10-1/4"
- Weight:** 24.5 lb
- Recommended Cutters:** HSS/Carbide



JMU 137 PQW

PART NUMBER: 72707361090

- + Tilt sensor safety shut off
- + Permanent magnet
- + Electronic speed and reversing motor controls
- + Coolant tank included
- Capacity:** 1-3/8" x 2"
- Stroke length:** 5-5/16"
- Stroke range:** 10-1/4"
- Weight:** 27.5 lb
- Recommended Cutters:** HSS/Carbide



JCM 200 U

PART NUMBER: 72704461120

- + Extra large stroke for all drilling work
- + High-power motor with stable speed
- + Electronic speed and reversing motor controls
- + Coolant tank included
- Capacity:** 2" x 2"
- Stroke length:** 5-11/16"
- Stroke range:** 12-3/8"
- Weight:** 32.1 lb
- Recommended Cutters:** Carbide



JCM 256 U

PART NUMBER: 72704761120

- + Extra large stroke for all drilling work
- + High-power motor with stable speed
- + Electronic speed and reversing motor controls
- + Coolant tank included
- Capacity:** 2-9/16" x 2"
- Stroke length:** 5-11/16"
- Stroke range:** 12-3/8"
- Arbor:** #3 Morse taper
- Swivel base:** 7 degrees
- Weight:** 36.75 lb
- Recommended Cutters:** Carbide



JMU 404 M

PART NUMBER: 72706061090

- + Mechanical 4-speed gearbox
- + FEIN 1,700 W high-performance, high torque motor
- + Torque slip clutch
- + Coolant tank included
- Capacity:** 4-5/16" x 4"
- Stroke length:** 11"
- Stroke range:** 15-3/4"
- Arbor:** #4 Morse taper
- Weight:** 79.4 lb
- Recommended Cutters:** HSS/Carbide

SPECIALTY MAG DRILLS



Slugger by FEIN offers more magnetic base drills for more applications, providing the right tool for every job. All Slugger by FEIN magnetic base drills reduce downtime with 100% duty cycle, high-performance, high torque motors.

COMPACT DRILLS

Compact and adaptable, the perfect workhorse for tight spaces that need precise results. Where other magnetic drills just can't fit, the Compact series is there to get even the tightest job done.

NEW!



JMC MAGFORCE 90

PART NUMBER: 72732362090

- + Smallest magnetic base drill with forward/reverse rotation
 - + Powerful 1,150 watt brushless motor
 - + Tilt sensor safety shutoff
 - + Ratcheting handle allows work in even the tightest places
 - + Coolant bottle included
- Capacity:** 1-3/8" x 1-3/8"
Stroke length: 1-13/16"
Weight: 18.75 lb

Recommended Cutters: HSS/Carbide



JHM MAGFORCE

PART NUMBER: 72725361127

- + Compact with ideal power to weight ratio for work in small spaces
 - + Stationary drill motor with positive slug ejection
 - + Solid die-cast aluminum construction
 - + Smart magnet safety circuitry
 - + Coolant tank included
- Capacity:** 1-5/8" x 2"
Stroke length: 2-9/16"
Weight: 28.8 lb

Recommended Cutters: HSS/Carbide

AUTOMATIC DRILL

Save time and money while getting precise, repeatable results with the automatic drilling functionality of the Automatic series drills.



JCM 200 AUTO

PART NUMBER: 72704661120

- + Tilt sensor safety shutoff
 - + Mechanical 2-gearbox
 - + Repeatable and consistent drilling times
 - + Coolant tank included
- Capacity:** 2" x 2"
Stroke length: 5-11/16"
Stroke range: 12-3/8"
Arbor: #3 Morse taper
Weight: 35.7 lb

Recommended Cutters: Carbide

CORDLESS DRILLS

Speed and efficiency meet portability with the Slugger Cordless series. The cordless line offers the same quality and performance as its corded variants but in a convenient, manageable drill.

NEW!



AJMU 137 PMQW

SELECT PART NUMBER: 71700562090
KIT PART NUMBER: 71700563090



- + Powerful and lightweight FEIN Power Drive brushless motor and FEIN HighPower battery
- + Permanent magnet
- + Universal functionality for drilling, tapping, reaming and countersinking
- + Coolant tank included

Capacity: 1-3/8" x 2"

Stroke length: 5-5/16"

Stroke range: 10-1/4"

Weight (w/o battery): 26.7 lb

Recommended Cutters: HSS/Carbide

KIT INCLUDES: 1 AJMU 137 PMQW cordless mag drill, 1 coolant pump, 1 safety strap, 1 chip hook, 1 centering pin dia. 1/4 x 3-9/16 in, 1 centering pin dia. 1/4 x 3-1/4 in, 1 centering pin dia. 1/4 x 4 in, 1 chip guard, 1 drift, 2 CORE 18 V / 8.0 Ah Li-Ion batteries, 1 GAL18 V-160 AS rapid charger, 1 tool case

NEW!



AJMU 137 PMQW + 6-PIECE CUTTER SET

PART NUMBER: 71700564090

KIT INCLUDES: 1 AJMU 137 PMQW cordless mag drill, 1 coolant pump, 1 safety strap, 1 chip hook, 1 centering pin dia. 1/4 x 3-9/16 in., 1 centering pin dia. 1/4 x 3-1/4 in., 1 centering pin dia. 1/4 x 4 in., 1 chip guard, 1 drift, 2 CORE 18 V / 8.0 Ah Li-Ion batteries, 1 GAL18 V-160 AmpShare rapid charger, 1 tool case, 1 Magbrush, 1 cutting paste, 5 HSS NOVA annular cutters 2 in. cutting depth (9/16, 11/16, 13/16, 15/16, 1-1/16 in), 1 L-BOXX 136

MAG DRILL ACCESSORIES



MAG DRILL ACCESSORIES

| Part Number | Description |
|----------------------------------|--|
| 64201002980 | Slugger by FEIN Magbrush - 15" Reach |
| 64201003980 | Slugger by FEIN Magbrush - 36" Reach |
| 64298190100 | 1/2" chuck and adapter for USA-101 |
| 69908195346 | 1/2" Drill Chuck with 3/4" straight shank. For all drills except: ShortSlugger II, MagForce, MagForce90, USA-101 |
| 69908195275 | 5/8" Drill chuck with 3/4" straight shank. For all drills except: ShortSlugger II, MagForce, MagForce90, USA-101 |
| Cutting Fluid & Paste | |
| 32132032980 | Slugger by FEIN Cutting Fluid - 1 Qt. bottle |
| 32160015980 | Slugger by FEIN Cutting Paste - 10 oz. Tube |
| 64298102080 | Slugger by FEIN Cutting Fluid - 1 Gallon bottle |
| 32132032982 | Cutting fluid (12 qt case) |
| 64298102084 | Cutting fluid (4 gal case) |
| 64298102090 | Cutting fluid (5 gal bucket) |
| 32160015982 | Slugger cutting paste (12 - 10oz tubes) |



ARBOR EXTENSIONS

Arbor body diameter is 1-5/16"



| Part Number | Description |
|-------------|--------------------|
| 63106020980 | 2" arbor extension |
| 63106021980 | 3" arbor extension |
| 63106022980 | 4" arbor extension |
| 63106023980 | 6" arbor extension |

SUCTION PLATE

| Part Number | Description |
|-------------|---|
| 92602054016 | For non-magnetic materials, 9-3/16 x 13 x 4-5/16 in [250 x 330 x 110 mm]. (270lbs of holding force) |



PIPE DRILLING DEVICE

| Part Number | Description |
|-------------|---|
| 92602055010 | Including clamping strap, for drilling holes in pipe with Ø from 2-3/8 to 11-13/16 in [60 to 300 mm], 8-11/16 x 5-1/8 in [220 x 130 mm] |



APPLICATION & MACHINE SELECTION

| | HSS CUTTERS | CARBIDE CUTTERS |
|---|--|---|
| QUICK COMPARISON | <ul style="list-style-type: none"> + General fabrication + Can be resharpened up to 6 times. + Lowest cost per hole < 1-1/8" Ø | <ul style="list-style-type: none"> + General/structural, stainless steel and exotic metals + Lowest cost per hole > 1-1/8" Ø + Faster cut |
| RECOMMENDED MACHINES All drills run HSS & carbide | <ul style="list-style-type: none"> + JME ShortSlugger II + JHM USA 101 + JHM Magforce | <ul style="list-style-type: none"> + JMU 137 series (4 models) + JCM series (200, 256, 200 auto) + JMU 404 + JME Magspeed 150 |
| | <ul style="list-style-type: none"> + JME Holemaker III + JME USA 202 + JMC Magforce 90 | |
| COMPETITOR MACHINES | <ul style="list-style-type: none"> + Slugger cutters use an industry standard shank. + Will fit most competitor machines* | |

Wide range of applications

Use annular cutters with mag drills for a wide range of tasks, from drilling in steel girders to overlapping holes, drilling in multi-layer materials and offset stop-drilling.



*Adaptor needed for some drills



MAG DRILL CUTTERS

Slugger annular cutters, combined with Slugger magnetic base drills, create a cost-effective, high-performance system.

HIGH SPEED STEEL CUTTERS

MADE IN USA



HELICAL FLUTE DESIGN

Wide flutes reliably evacuate the chips out of the hole. Fast, efficient chip removal with minimum contact between the cutter and drill hole for low torque and power consumption.

HIGH PERFORMANCE

All cutting teeth have the same geometry which helps to produce clean, burr-free holes while still allowing for a fast, smooth cut.

INDUSTRY STANDARD

2 flat 3/4 in straight shank for use with most commercially available magnetic drills.

100% HEAT TREATED THROUGHOUT

Internal vacuum heat treatment for consistent performance and longer service life. Cutters can also be resharpened up to 6 times.

| Description | 1" DOC | 2" DOC |
|-----------------------------|-------------|-------------|
| 7/16" HSS with pilot pin | 63134111041 | 63134111042 |
| 1/2" HSS with pilot pin | 63134127041 | 63134127042 |
| 9/16" HSS with pilot pin | 63134143041 | 63134143042 |
| 5/8" HSS with pilot pin | 63134158041 | 63134158042 |
| 11/16" HSS with pilot pin | 63134175041 | 63134175042 |
| 3/4" HSS with pilot pin | 63134191041 | 63134191042 |
| 13/16" HSS with pilot pin | 63134206041 | 63134206042 |
| 7/8" HSS with pilot pin | 63134222041 | 63134222042 |
| 15/16" HSS with pilot pin | 63134238041 | 63134238042 |
| 1" HSS with pilot pin | 63134254041 | 63134254042 |
| 1-1/16" HSS with pilot pin | 63134269041 | 63134269042 |
| 1-1/8" HSS with pilot pin | 63134286041 | 63134286042 |
| 1-3/16" HSS with pilot pin | 63134302041 | 63134302042 |
| 1-1/4" HSS with pilot pin | 63134318041 | 63134318042 |
| 1-5/16" HSS with pilot pin | 63134333041 | 63134333042 |
| 1-3/8" HSS with pilot pin | 63134349041 | 63134349042 |
| 1-7/16" HSS with pilot pin | 63134365041 | 63134365042 |
| 1-1/2" HSS with pilot pin | 63134381041 | 63134381042 |
| 1-9/16" HSS with pilot pin | 63134397041 | 63134397042 |
| 1-5/8" HSS with pilot pin | 63134413041 | 63134413042 |
| 1-11/16" HSS with pilot pin | 63134429041 | 63134429042 |
| 1-3/4" HSS with pilot pin | 63134445041 | 63134445042 |
| 1-13/16" HSS with pilot pin | 63134460041 | 63134460042 |
| 1-7/8" HSS with pilot pin | 63134476041 | 63134476042 |
| 1-15/16" HSS with pilot pin | 63134492041 | 63134492042 |
| 2" HSS with pilot pin | 63134508041 | 63134508042 |
| 2-1/16" HSS with pilot pin | 63134524041 | 63134524042 |



HIGH SPEED STEEL ID GRIND WITH TIN COATING CUTTERS*

| Description | 1" DOC | Description | 1" DOC |
|-------------|-------------|-------------|-------------|
| 9/16" IDTN | 63134142113 | 7/8" IDTN | 63134222107 |
| 5/8" IDTN | 63134158106 | 15/16" IDTN | 63134238115 |
| 11/16" IDTN | 63134174119 | 1" IDTN | 63134254108 |
| 3/4" IDTN | 63134190109 | | |

*1" DOC ID TIN coated cutters do not come with a pilot pin. Pilot pin needed, PN 63134998300



CARBIDE CUTTERS



HELICAL FLUTE DESIGN

Wide flutes reliably evacuate the chips out of the hole. Fast, efficient chip removal with minimum contact between the cutter and drill hole for low torque and power consumption.

UNIVERSAL SHANK

2 flat 3/4 in straight shank with dents for use with most commercially available magnetic drills.

DESIGNED FOR DRILLING AT HIGHER RPM'S

Allowing you to make more holes much faster.

DURABILITY

All cutting teeth have the same geometry which helps to produce clean, burr-free holes. Carbide makes for a longer lasting cutter and is ideal for harder materials and higher RPMs.

| Description | 1" DOC* | 1-3/8" DOC | 2" DOC |
|--|--------------|-------------|-------------|
| 9/16" Carbide Cutter with pilot pin | 63127561110* | 63135143021 | 63135143022 |
| 5/8" Carbide Cutter with pilot pin | 63127562110* | 63135159021 | 63135159022 |
| 11/16" Carbide Cutter with pilot pin | 63127563110* | 63135175021 | 63135175022 |
| 3/4" Carbide Cutter with pilot pin | 63127564110* | 63135191021 | 63135191022 |
| 13/16" Carbide Cutter with pilot pin | 63127565110* | 63135206021 | 63135206022 |
| 7/8" Carbide Cutter with pilot pin | 63127566110* | 63135222021 | 63135222022 |
| 15/16" Carbide Cutter with pilot pin | 63127567110* | 63135238021 | 63135238022 |
| 1" Carbide Cutter with pilot pin | 63127568110* | 63135254021 | 63135254022 |
| 1-1/16" Carbide Cutter with pilot pin | 63127569110* | 63135269021 | 63135269022 |
| 1-1/8" Carbide Cutter with pilot pin | 63127570110* | 63135286021 | 63135286022 |
| 1-3/16" Carbide Cutter with pilot pin | 63127571110* | 63135302021 | 63135302022 |
| 1-1/4" Carbide Cutter with pilot pin | 63127572110* | 63135318021 | 63135318022 |
| 1-5/16" Carbide Cutter with pilot pin | 63127573110* | 63135333021 | 63135333022 |
| 1-3/8" Carbide Cutter with pilot pin | 63127574110* | 63135349021 | 63135349022 |
| 1-7/16" Carbide Cutter with pilot pin | - | 63135365021 | 63135365022 |
| 1-1/2" Carbide Cutter with pilot pin | - | 63135381021 | 63135381022 |
| 1-9/16" Carbide Cutter with pilot pin | - | 63135397021 | 63135397022 |
| 1-5/8" Carbide Cutter with pilot pin | - | 63135413021 | 63135413022 |
| 1-11/16" Carbide Cutter with pilot pin | - | 63135429021 | 63135429022 |
| 1-3/4" Carbide Cutter with pilot pin | - | 63135445021 | 63135445022 |
| 1-13/16" Carbide Cutter with pilot pin | - | 63135461021 | 63135461022 |
| 1-7/8" Carbide Cutter with pilot pin | - | 63135476021 | 63135476022 |
| 1-15/16" Carbide Cutter with pilot pin | - | 63135492021 | 63135492022 |
| 2" Carbide Cutter with pilot pin | - | 63135508021 | 63135508022 |
| 2-1/16" Carbide Cutter with pilot pin | - | 63135524021 | 63135524022 |

*1" DOC TCT do not come with a pilot pin. Pilot pin needed, PN: 63134998300

NEW!

COATED CARBIDE CUTTERS

Extreme durability: Coated carbide cutters reduce heat and extend life of the cutter, especially when drilling hard to cut materials.



| Description | 1-3/8" DOC | Description | 1-3/8" DOC |
|--------------------------------|-------------|---------------------------------|-------------|
| 9/16" x 1-3/8" with pilot pin | 63127839003 | 1 1/16" x 1-3/8" with pilot pin | 63127839013 |
| 5/8" x 1-3/8" with pilot pin | 63127839004 | 1 1/8" x 1-3/8" with pilot pin | 63127839016 |
| 11/16" x 1-3/8" with pilot pin | 63127839006 | 1 3/16" x 1-3/8" with pilot pin | 63127839017 |
| 3/4" x 1-3/8" with pilot pin | 63127839007 | 1 1/4" x 1-3/8" with pilot pin | 63127839018 |
| 13/16" x 1-3/8" with pilot pin | 63127839009 | 1 5/16" x 1-3/8" with pilot pin | 63127839019 |
| 7/8" x 1-3/8" with pilot pin | 63127839010 | 1 3/8" x 1-3/8" with pilot pin | 63127839021 |
| 15/16" x 1-3/8" with pilot pin | 63127839011 | 1 7/16" x 1-3/8" with pilot pin | 63127839022 |
| 1" x 1-3/8" with pilot pin | 63127839012 | 1 1/2" x 1-3/8" with pilot pin | 63127839023 |

MAG DRILL CUTTERS



Slugger annular cutters, combined with Slugger magnetic base drills, create a cost-effective, high-performance system.



TWIST DRILL SETS - 3/4" STRAIGHT SHANK

| Description | 2" DOC |
|--|-------------|
| Standard set, 1/4", 5/16", 3/8", 7/16" | 64298050000 |
| 1/4" | 64298050020 |
| 5/16" | 64298050040 |
| 3/8" | 64298050030 |
| 7/16" | 64298050050 |

| Description | 1-3/8" DOC |
|-------------|-------------|
| 1/4" | 63111029010 |
| 3/8" | 63111030010 |
| 5/16" | 63111031010 |
| 7/16" | 63111032010 |
| 9/16" | 63111033010 |

SLUGGER CUTTER SETS

Find the cutter set that works for you. With Slugger's dynamic cutter offerings, coupled with the unmatched quality and durability of Slugger magnetic base drills, finding the right combination for any job has never been easier.



5 piece universal shank carbide cutter set - 2" DOC
PART NUMBER: 63135999010
 3/4" shankset includes diameters: 9/16", 11/16", 13/16", 15/16", 1-1/16". Includes case, pilot pin.



5 piece HSS structural cutter set 1" DOC
PART NUMBER: 63134999010
 3/4" shankset includes diameters: 9/16", 11/16", 13/16", 15/16", 1-1/16". Includes case, pilot pin.



5 piece HSS Structural cutter set 2" DOC
PART NUMBER: 63134999015
 3/4" shank set includes diameters: 9/16", 11/16", 13/16", 15/16", 1-1/16". Includes case, pilot pin.



11 piece HSS 1" DOC cutter set (7/16" - 1-1/16")
PART NUMBER: 63134999020
 3/4" shankset includes diameters: 7/16", 1/2", 9/16", 5/8", 11/16", 13/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16". Includes pilot pin for 7/16" to 1/2" cutter Ø, pilot pin for 9/16" to 1-1/16" cutter Ø, case.



11 piece HSS 2" DOC cutter set (7/16" - 1-1/16")
PART NUMBER: 63134999026
 3/4" shank set includes diameters: 7/16", 1/2", 9/16", 5/8", 11/16", 13/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16". Includes pilot pin for 7/16" to 1/2" cutter Ø, pilot pin for 9/16" to 1-1/16" cutter Ø, case.

SLUGGER BY FEIN ANNULAR CUTTERS



With over 40 years of annular cutter manufacturing and design experience, we are the industry experts in hole-making. Our annular cutters are not only made in the USA, they are 3-4x faster and more precise than twist drilling, and leave smooth, burr-free holes. And because our cutters are high quality and able to be resharpened, they last longer, resulting in a lower cost per hole for you.



WHEN YOU BUY SLUGGER BY FEIN, YOU DEAL DIRECTLY WITH A MANUFACTURER IN THE USA.

Slugger by FEIN stocks the largest, most varied offering of annular cutters sizes. If we don't stock what you need, we can produce it.

Custom cutters for any specialty application:

- + Ranging from 7/16" – 4" in diameter
- + Ranging from 1/2" – 6" depth of cut
- + Non-standard geometries
- + Specialty coatings
- + Non-Standard shank sizes and shapes
- + Cutters with special wall thickness

CALL US AT:

1-800-441-9878
TO FIND A CUTTER
THAT FIT YOUR NEEDS!

*Minimum order quantity: 6. Shipment depends on custom cutter requirements.



High Speed Steel Cutters (HSS)

- + Standard material used to manufacture Slugger cutters.
- + Ideal for drilling structural steel.



High Speed Steel Cutters (ID Geometry)

- + Convenient when drilling through multiple layers.



High Speed Steel Cutters (Titanium Nitride)

- + Improves tool life by increasing surface hardness of tool, providing greater lubricity.



High Speed Steel Cutters (Titanium Nitride, cobalt steel cutters)

- + Improve tool life by increasing surface hardness of the tool and providing greater lubricity.



High Speed Steel Cutters (Titanium Carbonitride, coated)

- + Practical when drilling highly abrasive or gummy materials, such as brass, aluminum alloys and cast iron.



Cobalt Steel Cutters (M42)

- + Efficient when drilling materials are inconsistent.
- + Contain the highest amount of cobalt.
- + Extending tool life between sharpening.



Universal Shank Carbide Cutters

- + Ideal for cutting harder materials.
- + Designed for drilling higher RPM'S when increased hole making is desired.



Coated Carbide Cutters

- + Ideal for cutting harder materials.
- + Reduce heat and extend life of the cutter

ROTO-STAR WELDING POSITIONERS

The Roto-Star weld positioners are designed to not only provide a stable work platform, but also allow for achieving cleaner, stronger welds.

ROTO-STAR WITH CHUCK

| | ROTO-STAR I | ROTO-STAR III |
|-----------------------------------|---------------|---------------|
| Chuck | 6" | 8" |
| Swing at 0° | 16" | 20" |
| Vertical weight capacity | 200 lbs. | 250 lbs. |
| Horizontal weight capacity | 100 lbs. | 150 lbs. |
| Thru spindle part capacity | 1 ½" diameter | 2 ½" diameter |
| Spindle Rotation | 360° | 360° |
| Spindle speed | 0 to 10 RPM | 0 to 8 RPM |
| Angle adjustment | 0 to 90° | 0 to 90° |
| Grounding capacity | 300A | 300A |
| Voltage | 120v | 120v |
| Shipping weight | 60 lbs. | 90 lbs. |
| Optional rotary plate | 12" diameter | 16" diameter |

| Part Number | Model | Description |
|-------------|----------|---|
| 31343790030 | ROTO 1 | Positioner w/chuck |
| 31343790130 | ROTO 1-V | Positioner w/chuck, and variable speed foot pedal |
| 31343790140 | ROTO 3 | Positioner w/chuck |
| 31343790260 | ROTO 3-V | Positioner w/chuck, and variable speed foot pedal |

ROTO-STAR WITH FACEPLATE

| | ROTO-STAR I - P | ROTO-STAR III - P |
|-----------------------------------|-----------------|-------------------|
| Chuck | - | - |
| Swing at 0° | 16" | 20" |
| Vertical weight capacity | 200 lbs. | 250 lbs. |
| Horizontal weight capacity | 100 lbs. | 150 lbs. |
| Thru spindle part capacity | - | - |
| Spindle Rotation | 360° | 360° |
| Spindle speed | 0 to 10 RPM | 0 to 8 RPM |
| Angle adjustment | 0 to 90° | 0 to 90° |
| Grounding capacity | 300A | 300A |
| Voltage | 120v | 120v |
| Shipping weight | 45 lbs. | 65 lbs. |
| Fixed rotary plate | 12" diameter | 16" diameter |

| Part Number | Model | Description |
|-------------|------------|---|
| 31343690090 | ROTO 1-P | Positioner w/plate, and foot pedal |
| 31343790120 | ROTO 1-P-V | Positioner w/plate, and variable speed foot pedal |
| 31343790210 | ROTO 3-P | Positioner w/plate |
| 31343790250 | ROTO 3-P-V | Positioner w/plate, and variable speed foot pedal |



ROTO-STAR I



ROTO-STAR III

MADE IN USA



Variable speed control box (included with RotoStar I & III select models only)

- + Increase welding productivity and quality.
- + Available with chuck or plate.
- + Built-in variable speed.
- + Forward, reverse
0-8 RPM (ROTO I)/
0-10 RPM (ROTO 3).
- + 0°-90° at 15° increments at base.



ROTOSTAR ACCESSORIES



12" Surface Plate
PART NUMBER:
 31343710010



16" Surface Plate
PART NUMBER:
 31343710030



Variable speed foot pedal with control box
PART NUMBER:
 31343751050



Roto-Star I purge plug
PART NUMBER:
 31343710090



Roto-Star III purge plug
PART NUMBER:
 31343710100

| Part Number | Description |
|-------------|--|
| 31343710010 | 12" surface plate for Roto-Star I with chuck |
| 31343710030 | 16" surface plate for Roto-Star III with chuck |
| 31343751050 | Variable speed foot pedal with control box |
| 31343710090 | Roto-Star I purge plug |
| 31343710100 | Roto-Star III purge plug |

GRIT BELT GRINDERS



GRIT by FEIN - modular-assembly belt grinding machines that are ideally suited to applications in metal processing and finishing.

GX 75 BELT GRINDER


Universal belt grinder, can be expanded through modules, for metalworking manual trades, ideal for machining stainless steel in small-scale volume production.

BELT GRINDER

GRIT GX 75/GX 75 2H

| | |
|-------------|-------------|
| GX 75 2H | 79012209400 |
| GX 75 2H 2V | 79012209233 |
| Base | 99001010001 |

Includes: 1 grinding belt 3x79 in (75x2,000 mm), 36 grit R (Must purchase a base to operate. Base part number: 9 9001010001)




| Model | GRIT GX 75 2H and GX 75 2H 2V |
|-------------------|--|
| Power consumption | 1.5/2kW, (220V) or (440V), 3 phase |
| No-load speed | 1,730 / 3,450 rpm |
| Belt dimensions | 3x79 in (75x2,000 mm) |
| Weight | 165 lbs. (75 kg) |
| Part numbers | 79012209400 , GX 75 2H, 440V, 3ph, 2 speed 79012209233 , GX 75 2H, 2V, 220V, 3ph, 2 speed |

* Must purchase a base to operate. ‡ Plug ends not included.

GX GRINDING BELTS - 3" W x 79" L

GRIT GRINDING MEDIA R


Extra heavy polyester fabric, full resin bond with zirconium aluminum oxide. Additional top layer for cooling during the grinding process. **Recommended for: stainless, aluminum, alloy steel, coated materials**



| Grit | Pack | 3x79 in (75x2,000 mm) |
|------|------|-----------------------|
| 24 | 10 | 69903000000 |
| 36 | 10 | 69903002000 |
| 40 | 10 | 69903004000 |
| 60 | 10 | 69903007000 |
| 80 | 10 | 69903009000 |
| 120 | 10 | 69903013000 |

GRIT GRINDING MEDIA Z

Heavy polyester fabric, full resin bond with zirconium aluminum oxide. **Recommended for: steel**



| Grit | Pack | 3x79 in (75x2,000 mm) |
|------|------|-----------------------|
| 36 | 10 | 69903003000 |
| 40 | 10 | 69903005000 |
| 60 | 10 | 69903008000 |
| 80 | 10 | 69903010000 |
| 120 | 10 | 69903014000 |

GRIT GRINDING MEDIA A


Heavy cotton fabric, full resin bond with corundum.



| Grit | Pack | 3x79 in (75x2,000 mm) |
|------|------|-----------------------|
| 220 | 10 | 69903017000 |
| 320 | 10 | 69903018000 |
| 400 | 10 | 69903019000 |

GRIT GRINDING MEDIA R

Reliable for elimination of minor defects through to perfect finishes. Long service life ensures cost-effective work. Suitable for GRIT GX 75, GRIT GXC, GRIT GI 75, GRIT GI 150, GRIT GIC, GRIT GIL and GRIT GILS. Also suitable for wet grinding.



| Grit | Pack | 3x79 in (75x2,000 mm) |
|------------------|------|-----------------------|
| Very fine (blue) | 3 | 69903121010 |
| Medium (red) | 3 | 69903119010 |
| Coarse (brown) | 3 | 69903117010 |
| Assorted pack* | 1 | 69903122010 |


GX 75 NOTCHING BELT GRINDER

Notching grinding module for exact-fit grinding of pipe, profiles and flat materials.

NOTCHING GRINDER GRIT GX 75/GX 75 2H + GXR

| | |
|-------------|-------------|
| GX 75 2H | 79012209400 |
| GX 75 2H 2V | 79012209233 |
| GXR | 99001001110 |
| Base | 99001010001 |

Includes: 1 ea, contact roller dia; 1-11/16 in pipe (42.4 mm) and 1-7/8 in pipe (48.3 mm); 1 dust container; 1 grinding belt 3 x 88-9/16 in, grit 36 R



| Model | GRIT GXR - Notching Module |
|--|------------------------------|
| Tube diameters | 5/8 - 3 in (16 - 75 mm) |
| Max. dimensions of profile/flat material | 3x3 in (75x75 mm) |
| Belt dimensions | 3 x 88-9/16 in (75x2,250 mm) |
| Weight | 119 lbs. (54 kg) |
| Part number | 9900100111z0 |

* Must purchase a base to operate. † Plug ends not included.



GXR TUBE DIAMETER ROLLERS

| Part number | Diameter | Part number | Diameter |
|-------------|----------|-------------|----------|
| 69902020000 | 5/8" | 69902061000 | 1-5/8" |
| 69902024000 | 3/4" | 69902067000 | 1-3/4" |
| 69902029000 | 7/8" | 69902074000 | 2" |
| 69902034000 | 1" | 69902080000 | 2-1/4" |
| 69902043000 | 1-1/8" | 69902084000 | 2-3/8" |
| 69902048000 | 1-1/4" | 69902086000 | 2-1/2" |
| 69902052000 | 1-3/8" | 69902090000 | 2-3/4" |
| 69902057000 | 1-1/2" | 69902095000 | 3" |



GXR PIPE DIAMETER ROLLERS*


| Part number | Diameter |
|-------------|----------|
| 69902027000 | 1/2" |
| 69902040000 | 3/4" |
| 69902050000 | 1" |
| 69902062000 | 1-1/4" |
| 69902071000 | 1-1/2" |
| 69902084000 | 2" |
| 69902091000 | 2-1/2" |

*Special diameters available by request.

GXR GRINDING BELTS - 3" W x 88-9/16" L

GRIT GRINDING MEDIA R


Extra heavy polyester fabric, full resin bond with zirconium aluminum oxide. Additional top layer for cooling during the grinding process. **Recommended for: stainless, aluminum, alloy steel, coated materials**



| Grit | Pack | 3x88 ⁹ / ₁₆ in (75x2,250 mm) |
|------|------|--|
| 36 | 10 | 6 99 03 020 00 0 |

GRIT GRINDING MEDIA Z

Heavy polyester fabric, full resin bond with zirconium aluminum oxide. **Recommended for: steel**



| Grit | Pack | 3x88 ⁹ / ₁₆ in (75x2,000 mm) |
|------|------|--|
| 36 | 10 | 6 99 03 021 00 0 |

GRIT BELT GRINDERS



GRIT by FEIN - modular-assembly belt grinding machines that are ideally suited to applications in metal processing and finishing.

GXC 75 CENTERLESS GRINDER

Centerless finishing module for perfect surfaces on ferrous, non-ferrous and stainless tubular materials.

CENTERLESS GRINDER

GRIT GX 75/GX 75 2H + GXC + GXW

| | |
|--------------------|-------------|
| GX 75 2H | 79012209400 |
| GX 75 2H 2V | 79012209233 |
| GXC ** | 79012309443 |
| GXW cooling system | 79012409443 |
| Base | 99001010001 |



Includes: 2 guide rails nylon,
1 guide rail, brass


| Model | GRIT GXC - Centerless Grinding Module |
|------------------|---------------------------------------|
| Feed motor power | .28 kW |
| Feed rate | 0–6.5 ft/min (0–2 m/min) |
| Tube diameters | $\frac{3}{8}$ –4 in (10–100 mm) |
| Belt dimensions | 3 x 79 in (75x2,000 mm) |
| Weight | 106 lbs. (48 kg) |
| Part number | 79012309443, (440 V*) |

* Must purchase a base to operate. ** Field converted for 220V. † Plug ends not included.

GXC GRINDING BELTS - 3" W x 79" L

GRIT GRINDING MEDIA R


Extra heavy polyester fabric, full resin bond with zirconium aluminum oxide. Additional top layer for cooling during the grinding process. **Recommended for: stainless, aluminum, alloy steel, coated materials**



| Grit | Pack | 3x79 in (75x2,000 mm) |
|------|------|-----------------------|
| 24 | 10 | 69903000000 |
| 36 | 10 | 69903002000 |
| 40 | 10 | 69903004000 |
| 60 | 10 | 69903007000 |
| 80 | 10 | 69903009000 |
| 120 | 10 | 69903013000 |

GRIT GRINDING MEDIA Z

Heavy polyester fabric, full resin bond with zirconium aluminum oxide. **Recommended for: steel**



| Grit | Pack | 3x79 in (75x2,000 mm) |
|------|------|-----------------------|
| 36 | 10 | 69903003000 |
| 40 | 10 | 69903005000 |
| 60 | 10 | 69903008000 |
| 80 | 10 | 69903010000 |
| 120 | 10 | 69903014000 |

GRIT GRINDING MEDIA A


Heavy cotton fabric, full resin bond with corundum.



| Grit | Pack | 3x79 in (75x2,000 mm) |
|------|------|-----------------------|
| 220 | 10 | 69903017000 |
| 320 | 10 | 69903018000 |
| 400 | 10 | 69903019000 |

GRIT GRINDING MEDIA R

Reliable for elimination of minor defects through to perfect finishes. Long service life ensures cost-effective work. Suitable for GRIT GX 75, GRIT GXC, GRIT GI 75, GRIT GI 150, GRIT GIC, GRIT GIL and GRIT GILS. Also suitable for wet grinding.



| Grit | Pack | 3x79 in (75x2,000 mm) |
|------------------|------|-----------------------|
| Very fine (blue) | 3 | 69903121010 |
| Medium (red) | 3 | 69903119010 |
| Coarse (brown) | 3 | 69903117010 |
| Assorted pack* | 1 | 69903122010 |



GXE DEBURRING MACHINE

Effective deburring machine for metalworking trades and small production runs.

DEBURRING MACHINE GRIT GXE + GIXS/GIXBE ¹

| | |
|------------|-------------|
| GXE 2V | 79010509233 |
| GXE | 79010109443 |
| GIX (base) | 99001002000 |

Includes: Safety switch; low voltage breaker
(Base not included) - Base part numbers:
GIX (standard base) - 99001002000
GIXBE (Dust extraction base) - 99001009000



| Model | GRIT GXE ¹ |
|-----------------------|---|
| Power | 2.2 kW |
| Speed | 1,730 rpm |
| Max. wheel dimensions | 9 7/8 x 2 3/8 in (250 x 60 mm) ¹ |
| Power cord | 7 ft (2 m) |
| Weight | 71 lbs. (32 kg) |
| Part numbers | 79010509233 (230 V), 79010509443 (440 V) |

* Must purchase a base to operate. ¹ Brushes not included. ‡ Plug ends not included.

GXE WIRE WHEELS

WIRE WHEELS

10" x 2 3/8" (250x60 mm) dia., with high strength wire for especially efficient use, mounting hole 2" (51mm) dia.
33 wire gauge for thin-walled pipes and profiles. 29 wire gauge for thick-walled pipes and profiles.

Steel:



| Wire thickness | Part number |
|--------------------|-------------|
| 33 gauge (0.20 mm) | 69902006000 |
| 29 gauge (0.35 mm) | 69902007000 |
| 25 gauge (0.50 mm) | 69902008000 |

Stainless steel:



| Wire thickness | Part number |
|--------------------|-------------|
| 33 gauge (0.20 mm) | 69902009000 |
| 29 gauge (0.35 mm) | 69902010000 |

GRIT BELT GRINDERS



GRIT by FEIN - modular-assembly belt grinding machines that are ideally suited to applications in metal processing and finishing.

GI 150 BELT GRINDER - 6" HEAVY DUTY GRINDER

High performance belt grinder, modular expansion capability, for industrial and production applications. Two speeds, ideal for processing stainless steel.

BELT GRINDER

**GRIT GI 75/GI 75 2H/
GI 150/GI 150 2H + GIB/GIBE**

| | |
|-----------------------------|-------------|
| GI 150 2H | 79020509443 |
| GI 150 2H 2V | 79020509233 |
| GIB (base) | 99001003030 |
| GIBE (dust extraction base) | 99001004040 |



Machine bases*



GI Belt grinder



GI Belt grinder


| Model | GI 150 2H |
|-----------------|--|
| Power | 2.6/3.1 kW, (220V or 440V) 3 ph |
| No-load speed | 1,730/3,450 rpm |
| Belt dimensions | 6" x 79" (150 x 2000mm) |
| Belt speed | 49/98 ft/sec (15/30 m/sec) |
| Weight | 181 lbs. (82 kg) |
| Includes | 1 - 6" x 79" 36 grit belt |
| Part numbers | 79020509443 * GI 150 2H, 440V 3ph, 2 speed 79020509233 * GI 150 2H 2V, 3ph, 2 speed |

* Must purchase a base to operate. † Plug ends not included.

GI GRINDING BELTS - 6" W x 79" L

GRIT GRINDING MEDIA R


Extra heavy polyester fabric, full resin bond with zirconium aluminum oxide. Additional top layer for cooling during the grinding process. **Recommended for: stainless, aluminum, alloy steel, coated materials**



| Grit | Pack | 6x79 in (150x2,000 mm) |
|------|------|------------------------|
| 24 | 10 | 69903039000 |
| 36 | 10 | 69903040000 |
| 40 | 10 | 69903042000 |
| 60 | 10 | 69903044000 |
| 80 | 10 | 69903046000 |
| 120 | 10 | 69903048000 |

GRIT GRINDING MEDIA Z

Heavy polyester fabric, full resin bond with zirconium aluminum oxide. **Recommended for: steel**



| Grit | Pack | 6x79 in (150x2,000 mm) |
|------|------|------------------------|
| 36 | 10 | 69903041000 |
| 40 | 10 | 69903043000 |
| 60 | 10 | 69903045000 |
| 80 | 10 | 69903047000 |
| 120 | 10 | 69903049000 |

GRIT GRINDING MEDIA A


Heavy cotton fabric, full resin bond with corundum.



| Grit | Pack | 6x79 in (150x2,000 mm) |
|------|------|------------------------|
| 220 | 10 | 69903050000 |
| 320 | 10 | 69903051000 |
| 400 | 10 | 69903052000 |

GRIT GRINDING MEDIA R

Reliable for elimination of minor defects through to perfect finishes. Long service life ensures cost-effective work. Suitable for GRIT GX 75, GRIT GXC, GRIT GI 75, GRIT GI 150, GRIT GIC, GRIT GIL and GRIT GILS. Also suitable for wet grinding.



| Grit | Pack | 6x79 in (150x2,000 mm) |
|------------------|------|------------------------|
| Very fine (blue) | 3 | 69903120010 |
| Medium (red) | 3 | 69903118010 |
| Coarse (brown) | 3 | 69903116010 |
| Assorted pack* | 1 | 69903123010 |

GX 150 NOTCHING BELT GRINDER - 6" HEAVY DUTY GRINDER


Notching grinding module for exact-fit grinding of pipe, profiles and flat materials.

NOTCHING GRINDER

GRIT GI 150/GI 150 2H + GXR

| | |
|-----------------------------|-------------|
| GI 150 2H | 79020509443 |
| GI 150 2H 2V | 79020509233 |
| GIR | 99001007110 |
| GIB (base) | 99001003030 |
| GIBE (dust extraction base) | 99001004040 |

Includes: 1 contact roller 1-11/16 in pipe (42.4 mm) dia.; 1 dust container; 1 grinding belt 6 x 88 9/16 in (150x2,250 mm), grit 36 R



| Model | GRIT GIR - Notching Module |
|--|---|
| Tube diameters | 5/8-6 in (20-150 mm) |
| Max. dimensions of profile/flat material | 4 3/4-6 in (120x150 mm) |
| Belt dimensions | 6 x 88 9/16 / 6 x 94 in (150x2,250/150x2,400 mm) with contact rollers over 6 in (150 mm) dia. and mitre grinding plate |
| Weight | 241 lbs (109 kg) |
| Part number | 99001007110 |

* Must purchase a base to operate. † Plug ends not included.



GXR TUBE DIAMETER ROLLERS

| Part number | Diameter | Part number | Diameter |
|-------------|----------|-------------|----------|
| 69902101000 | 3/4" | 69902125000 | 3" |
| 69902104000 | 1" | 69902128000 | 4" |
| 69902108000 | 1-1/4" | 69902131000 | 4-1/2" |
| 69902110000 | 1-3/8" | 69902292000 | 5" |
| 69902113000 | 1-1/2" | 69902132000 | 5-1/2" |
| 69902116000 | 1-3/4" | | |
| 69902119000 | 2" | | |
| 69902122000 | 2-1/2" | | |



GXR PIPE DIAMETER ROLLERS


| Part number | Diameter | Part number | Diameter |
|-------------|----------|-------------|----------|
| 69902193000 | 1/2" | 69902128000 | 3-1/2" |
| 69902105000 | 3/4" | 69902131000 | 4" |
| 69902109000 | 1" | 69902292000 | 4-1/2" |
| 69902115000 | 1-1/4" | 69902133000 | 5" |
| 69902117000 | 1-1/2" | 69902134000 | 6" |
| 69902121000 | 2" | | |
| 69902245000 | 2-1/2" | | |
| 69902127000 | 3" | | |

*Special diameters available by request.

GXR GRINDING BELTS - 6" W x 88-9/16" L

GRIT GRINDING MEDIA R


Extra heavy polyester fabric, full resin bond with zirconium aluminum oxide. Additional top layer for cooling during the grinding process. **Recommended for: stainless, aluminum, alloy steel, coated materials**



| Grit | Pack | 6x88 9/16 in (150x2,250 mm) |
|------|------|-----------------------------|
| 36 | 10 | 69903053000 |

GRIT GRINDING MEDIA Z

Heavy polyester fabric, full resin bond with zirconium aluminum oxide. **Recommended for: steel**



| Grit | Pack | 6x88 9/16 in (150x2,250 mm) |
|------|------|-----------------------------|
| 36 | 10 | 69903054000 |

GRIT BELT GRINDERS




GRIT by FEIN - modular-assembly belt grinding machines that are ideally suited to applications in metal processing and finishing.

GIC 150 CENTERLESS BELT GRINDER

Centerless grinding module for industrial volume production.

CENTERLESS GRINDER GRIT GI 150/GI 150 2H + GIB + GIC + GXW

| | |
|-----------------------|-------------|
| GI 150 2H | 79020509443 |
| GI 150 2H 2V | 79020509233 |
| GIC ** | 79021209443 |
| GXW (coolant tank) | 79012409443 |
| GIB (base) | 99001003030 |



Includes: 2 guide rails nylon,
1 guide rail brass.


| Model | GRIT GIC |
|-----------------|---|
| Power | .18 kW |
| Tube diameters | $\frac{3}{8}$ to 5 $\frac{1}{8}$ in (10–130 mm) |
| Tube length | 12 in - 20 ft (300–6,000 mm) |
| Feed rate | 0–6.5 ft/min (0–2 m/min) |
| Belt dimensions | 6 x 79 in (150 x 2000 mm) |
| Weight | 143 lbs (65 kg) |
| Part number | 79021209443, (440V*) |

* Must purchase a base to operate. † Plug ends not included. ** Field converted for 220V.

GX GRINDING BELTS - 6" W x 79" L

GRIT GRINDING MEDIA R


Extra heavy polyester fabric, full resin bond with zirconium aluminum oxide. Additional top layer for cooling during the grinding process. **Recommended for: stainless, aluminum, alloy steel, coated materials**



| Grit | Pack | 6x79 in (150x2,000 mm) |
|------|------|---------------------------|
| 24 | 10 | 69903039000 |
| 36 | 10 | 69903040000 |
| 40 | 10 | 69903042000 |
| 60 | 10 | 69903044000 |
| 80 | 10 | 69903046000 |
| 120 | 10 | 69903048000 |

GRIT GRINDING MEDIA Z

Heavy polyester fabric, full resin bond with zirconium aluminum oxide. **Recommended for: steel**



| Grit | Pack | 6x79 in (150x2,000 mm) |
|------|------|---------------------------|
| 36 | 10 | 69903041000 |
| 40 | 10 | 69903043000 |
| 60 | 10 | 69903045000 |
| 80 | 10 | 69903047000 |
| 120 | 10 | 69903049000 |

GRIT GRINDING MEDIA A


Heavy cotton fabric, full resin bond with corundum.



| Grit | Pack | 6x79 in (150x2,000 mm) |
|------|------|---------------------------|
| 220 | 10 | 69903050000 |
| 320 | 10 | 69903051000 |
| 400 | 10 | 69903052000 |

GRIT GRINDING MEDIA R

Reliable for elimination of minor defects through to perfect finishes. Long service life ensures cost-effective work. Suitable for GRIT GX 75, GRIT GXC, GRIT GI 75, GRIT GI 150, GRIT GIC, GRIT GIL and GRIT GILS. Also suitable for wet grinding.



| Grit | Pack | 6x79 in (150x2,000 mm) |
|------------------|------|---------------------------|
| Very fine (blue) | 3 | 69903120010 |
| Medium (red) | 3 | 69903118010 |
| Coarse (brown) | 3 | 69903116010 |
| Assorted pack* | 1 | 69903123010 |

GKS 75 COMPACT BELT GRINDER

COMPACT BELT GRINDER GRIT GKS 75

GKS 75 79050209232

Includes: 1 grinding belt 3 x 79 in (75x2,000 mm), 36 grit R




| | |
|--------------------------|---------------------------|
| Model | GRIT GKS 75 |
| Power consumption | 1.1kW, (230V) |
| No-load speed | 3,450 rpm |
| Belt dimensions | 3 x 79 in (75 x 2,000 mm) |
| Weight | 99 lbs. (45 kg) |
| Part number | 79050209232 |

GX GRINDING BELTS - 3" W x 79" L

GRIT GRINDING MEDIA R


Extra heavy polyester fabric, full resin bond with zirconium aluminum oxide. Additional top layer for cooling during the grinding process. **Recommended for: stainless, aluminum, alloy steel, coated materials**



| Grit | Pack | 3 x 79 in (75 x 2,000 mm) |
|------|------|------------------------------|
| 24 | 10 | 69903000000 |
| 36 | 10 | 69903002000 |
| 40 | 10 | 69903004000 |
| 60 | 10 | 69903007000 |
| 80 | 10 | 69903009000 |
| 120 | 10 | 69903013000 |

GRIT GRINDING MEDIA Z

Heavy polyester fabric, full resin bond with zirconium aluminum oxide. **Recommended for: steel**



| Grit | Pack | 3 x 79 in (75 x 2,000 mm) |
|------|------|------------------------------|
| 36 | 10 | 69903003000 |
| 40 | 10 | 69903005000 |
| 60 | 10 | 69903008000 |
| 80 | 10 | 69903010000 |
| 120 | 10 | 69903014000 |

GRIT GRINDING MEDIA A


Heavy cotton fabric, full resin bond with corundum.



| Grit | Pack | 3 x 79 in (75 x 2,000 mm) |
|------|------|------------------------------|
| 220 | 10 | 69903017000 |
| 320 | 10 | 69903018000 |
| 400 | 10 | 69903019000 |

GRIT GRINDING MEDIA R

Reliable for elimination of minor defects through to perfect finishes. Long service life ensures cost-effective work. Suitable for GRIT GX 75, GRIT GX C, GRIT GI 75, GRIT GI 150, GRIT GI C, GRIT GIL and GRIT GILS. Also suitable for wet grinding.



| Grit | Pack | 3 x 79 in (75 x 2,000 mm) |
|------------------|------|------------------------------|
| Very fine (blue) | 3 | 69903121010 |
| Medium (red) | 3 | 69903119010 |
| Coarse (brown) | 3 | 69903117010 |
| Assorted pack* | 1 | 69903122010 |

GRIT BELT GRINDERS



GRIT by FEIN - modular-assembly belt grinding machines that are ideally suited to applications in metal processing and finishing.

GIMS 75 MOBILE BELT GRINDER

MOBILE BELT GRINDER GRIT GIMS 75

GIMS 75 7 902 13 09 44 3

Includes: 1 grinding belt 3 x 79 in (75 x 2,000 mm), 36 grit R




| Model | GIMS 75 |
|-----------------|-------------------------|
| Power | 4 kW, 440V 3 ph |
| No-load speed | 3,400 rpm |
| Belt dimensions | 3 x 79 in (75x2,000 mm) |
| Belt speed | 98 ft/sec (30 m/sec) |
| Weight | 220 lbs. (100 kg) |
| Part numbers | 79021309443* |

GIMS GRINDING BELTS - 3" x 79"

GRIT GRINDING MEDIA R


Extra heavy polyester fabric, full resin bond with zirconium aluminum oxide. Additional top layer for cooling during the grinding process. **Recommended for: stainless, aluminum, alloy steel, coated materials**



| Grit | Pack | 3 x 79 in (75 x 2,000 mm) |
|------|------|------------------------------|
| 24 | 10 | 69903000000 |
| 36 | 10 | 69903002000 |
| 40 | 10 | 69903004000 |
| 60 | 10 | 69903007000 |
| 80 | 10 | 69903009000 |
| 120 | 10 | 69903013000 |

GRIT GRINDING MEDIA Z

Heavy polyester fabric, full resin bond with zirconium aluminum oxide. **Recommended for: steel**



| Grit | Pack | 3 x 79 in (75 x 2,000 mm) |
|------|------|------------------------------|
| 36 | 10 | 69903003000 |
| 40 | 10 | 69903005000 |
| 60 | 10 | 69903008000 |
| 80 | 10 | 69903010000 |
| 120 | 10 | 69903014000 |

GRIT GRINDING MEDIA A


Heavy cotton fabric, full resin bond with corundum.



| Grit | Pack | 3 x 79 in (75 x 2,000 mm) |
|------|------|------------------------------|
| 220 | 10 | 69903017000 |
| 320 | 10 | 69903018000 |
| 400 | 10 | 69903019000 |

GRIT GRINDING MEDIA R

Reliable for elimination of minor defects through to perfect finishes. Long service life ensures cost-effective work. Suitable for GRIT GX 75, GRIT GXC, GRIT GI 75, GRIT GI 150, GRIT GiC, GRIT GIL and GRIT GILS. Also suitable for wet grinding.



| Grit | Pack | 3 x 79 in (75 x 2,000 mm) |
|------------------|------|------------------------------|
| Very fine (blue) | 3 | 69903121010 |
| Medium (red) | 3 | 69903119010 |
| Coarse (brown) | 3 | 69903117010 |
| Assorted pack* | 1 | 69903122010 |

3-YEAR WARRANTY

Register your FEIN or SLUGGER by FEIN products today to extend your warranty.

REGISTER AND LOCK IN THE WARRANTY.

FEIN power tools undergo hard field testing before their market launch. We are proud of the cutting-edge technology of our tools and we are confident that we sell users reliable power tools that they will find useful for many years.

By extending our warranty period with the 3-year FEIN PLUS warranty, we make it even clearer why you will work more easily and successfully with FEIN.

OBTAINING THE 3-YEAR FEIN PLUS WARRANTY IS EXTREMELY EASY:

1. REGISTER your new FEIN power tool online within 3 months of purchase. Register conveniently via your personal my.FEIN account.
2. You immediately receive a warranty certificate that entitles you to enjoy the 3-year FEIN PLUS warranty. The warranty certificate is automatically saved in your my.FEIN account.

REGISTER YOUR
FEIN POWER
TOOL NOW!



LEARN MORE ABOUT THESE NEW TOOLS & MORE FROM FEIN



PAGE 15
**18V F-IRON
JIG 26 AS**
Cordless jigsaw



PAGE 23
**ASCM 18-4
QMP AS**
4-speed cordless
drill/driver



PAGE 47
VersaMAG
Permanent
magnet vise



PAGE 39
F IRON CUT 57 AS
6" cordless metal
cutting saw

FEIN US
FEIN Power Tools Inc.
1000 Omega Drive,
Suite 1180, Pittsburgh, PA 15205
Toll Free: 1-800-441-9878
www.feinus.com

Printed in the US. Product images are for illustrative purposes only. Technical details subject to change. PN: 69908112182 1.2025 US





BEST OF FEIN
POWER TOOLS
& EQUIPMENT
CATALOG

